
Call for Editorial Board Members

As you are well aware that we are a medical and health sciences publishers; publishing peer-reviewed journals and books since 2004.

We are always looking for dedicated editorial board members for our journals. If you completed your master's degree and must have at least five years experience in teaching and having good publication records in journals and books.

If you are interested to be an editorial board member of the journal; please provide your complete resume and affiliation through e-mail (i.e. info@rfppl.co.in) or visit our website (i.e. www.rfppl.co.in) to register yourself online.

Call for Publication of Conference Papers/Abstracts

We publish pre-conference or post-conference papers and abstracts in our journals, and deliver hard copy and giving online access in a timely fashion to the authors.

For more information, please contact:

For more information, please contact:

A Lal

Publication-in-charge

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091 (India)

Phone: 91-11-22754205, 79695648

E-mail: info@rfppl.co.in

Free Announcements of your Conferences/Workshops/CMEs

This privilege to all Indian and other countries conferences organizing committee members to publish free announcements of your conferences/workshops. If you are interested, please send your matter in word formats and images or pictures in JPG/JPEG/Tiff formats through e-mail attachments to sales@rfppl.co.in.

Terms & Conditions to publish free announcements:

1. Only conference organizers are eligible up to one full black and white page, but not applicable for the front, inside front, inside back and back cover, however, these pages are paid.
2. Only five pages in every issue are available for free announcements for different conferences.
3. This announcement will come in the next coming issue and no priority will be given.
4. All legal disputes subject to Delhi jurisdiction only.
5. The executive committee of the Red Flower Publication reserve the right to cancel, revise or modify terms and conditions any time without prior notice.

For more information, please contact:

A Lal

Publication-in-charge

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091 (India)

Phone: 91-11-22754205, 79695648

E-mail: info@rfppl.co.in

Win Free Institutional Subscription!

Simply fill out this form and return scanned copy through e-mail or by post to us.

Name of the Institution_____

Name of the Principal/ Chairman_____

Management (Trust/Society/Govt./Company)_____

Address 1_____

Address 2_____

Address 3_____

City_____

Country_____

PIN Code_____

Mobile_____

Email_____

We are regular subscriber of Red Flower Publication journals.

Year of first subscription_____

List of ordered journals (if you subscriberd more then 5 titles, please attach separate sheet)

Ordered through

Name of the Vendor	Subscription Year	Direct/subs Yr

Name of the journal for which you wish to be free winner

Terms & Conditions to win free institutional subscription

1. Only institutions can participate in this scheme
2. In group institutions only one institution would be winner
3. Only five institutions will be winner for each journal
4. An institution will be winner only for one journal
5. The free subscription will be valid for one year only (i.e. 1 Jan – 31 Dec)
6. This free subscription is not renewable, however, can be renewed with payment
7. Any institution can again participate after five years
8. All legal disputes subject to Delhi jurisdiction only
9. This scheme will be available to participate throughout year, but draw will be held in last week of August every year
10. The executive committee of the Red Flower Publication reserve the right to cancel, revise or modify terms and conditions any time without prior notice.

I confirm and certify that the above information is true and correct to the best of my knowledge and belief.

Place:

Signature with Seal

Date:

<i>Revised Rates for 2020 (Institutional)</i>					
Title of the Journal	Frequency	India(INR)	India(INR)	Outside	Outside
		Print Only	Online Only	India(USD)	India(USD)
				Print Only	Online Only
Community and Public Health Nursing	3	6000	5500	469	430
Indian Journal of Agriculture Business	2	6000	5500	469	430
Indian Journal of Anatomy	4	9000	8500	703	664
Indian Journal of Ancient Medicine and Yoga	4	8500	8000	664	625
Indian Journal of Anesthesia and Analgesia	6	8000	7500	625	586
Indian Journal of Biology	2	6000	5500	469	430
Indian Journal of Cancer Education and Research	2	9500	9000	742	703
Indian Journal of Communicable Diseases	2	9000	8500	703	664
Indian Journal of Dental Education	4	6000	5500	469	430
Indian Journal of Diabetes and Endocrinology	2	8500	8000	664	625
Indian Journal of Emergency Medicine	4	13000	12500	1016	977
Indian Journal of Forensic Medicine and Pathology	4	16500	16000	1289	1250
Indian Journal of Forensic Odontology	2	6000	5500	469	430
Indian Journal of Genetics and Molecular Research	2	7500	7000	586	547
Indian Journal of Law and Human Behavior	3	6500	6000	508	469
Indian Journal of Legal Medicine	2	9000	8500	703	664
Indian Journal of Library and Information Science	3	10000	9500	781	742
Indian Journal of Maternal-Fetal & Neonatal Medicine	2	10000	9500	781	742
Indian Journal of Medical and Health Sciences	2	7500	7000	586	547
Indian Journal of Obstetrics and Gynecology	4	10000	9500	781	742
Indian Journal of Pathology: Research and Practice	6	12500	12000	977	938
Indian Journal of Plant and Soil	2	7000	6500	547	508
Indian Journal of Preventive Medicine	2	7500	7000	586	547
Indian Journal of Research in Anthropology	2	13000	12500	1016	977
Indian Journal of Surgical Nursing	3	6000	5500	469	430
Indian Journal of Trauma and Emergency Pediatrics	4	10000	9500	781	742
Indian Journal of Waste Management	2	10000	9500	781	742
International Journal of Food, Nutrition & Dietetics	3	6000	5500	469	430
International Journal of Forensic Science	2	10500	10000	820	781
International Journal of Neurology and Neurosurgery	4	11000	10500	859	820
International Journal of Pediatric Nursing	3	6000	5500	469	430
International Journal of Political Science	2	6500	6000	508	469
International Journal of Practical Nursing	3	6000	5500	469	430
International Physiology	3	8000	7500	625	586
Journal of Animal Feed Science and Technology	2	8300	7800	648	609
Journal of Cardiovascular Medicine and Surgery	4	10500	10000	820	781
Journal of Emergency and Trauma Nursing	2	6000	5500	469	430
Journal of Food Additives and Contaminants	2	6000	5500	430	391
Journal of Food Technology and Engineering	2	5500	5000	430	391
Journal of Forensic Chemistry and Toxicology	2	10000	9500	781	742
Journal of Global Medical Education and Research	2	6400	5900	500	461
Journal of Global Public Health	2	12500	12000	977	938
Journal of Microbiology and Related Research	2	9000	8500	703	664
Journal of Nurse Midwifery and Maternal Health	3	6000	5500	469	430
Journal of Orthopedic Education	3	6000	5500	469	430
Journal of Pharmaceutical and Medicinal Chemistry	2	17000	16500	1328	1289
Journal of Plastic Surgery and Transplantation	2	26900	26400	1954	575
Journal of Psychiatric Nursing	3	6000	5500	469	430
Journal of Radiology	2	8500	8000	664	625
Journal of Social Welfare and Management	4	8000	7500	625	586
New Indian Journal of Surgery	6	8500	7500	664	625
Ophthalmology and Allied Sciences	3	6500	6000	508	469
Pediatric Education and Research	4	8000	7500	625	586
Physiotherapy and Occupational Therapy Journal	4	9500	9000	742	703
RFP Gastroenterology International	2	6500	6000	508	469
RFP Indian Journal of Hospital Infection	2	13000	12500	1016	977
RFP Indian Journal of Medical Psychiatry	2	8500	8000	664	625
RFP Journal of Biochemistry and Biophysics	2	7500	7000	586	547
RFP Journal of Dermatology (Formerly Dermatology International)	2	6000	5500	469	430
RFP Journal of ENT and Allied Sciences (Formerly Otolaryngology International)	2	6000	5500	469	430
RFP Journal of Gerontology and Geriatric Nursing	2	6000	5500	469	430
RFP Journal of Hospital Administration	2	7500	7000	586	547
Urology, Nephrology and Andrology International	2	8000	7500	625	586
Terms of Supply:					
1. Agency discount 12.5%. Issues will be sent directly to the end user, otherwise foreign rates will be charged. 2. All back volumes of all journals are available at current rates. 3. All journals are available free online with print order within the subscription period. 4. All legal disputes subject to Delhi jurisdiction. 5. Cancellations are not accepted orders once processed. 6. Demand draft/cheque should be issued in favour of "Red Flower Publication Pvt. Ltd." payable at Delhi . 7. Full pre-payment is required. It can be done through online (http://rfppl.co.in/subscribe.php?mid=7). 8. No claims will be entertained if not reported within 6 months of the publishing date. 9. Orders and payments are to be sent to our office address as given below. 10. Postage & Handling is included in the subscription rates. 11. Subscription period is accepted on calendar year basis (i.e. Jan to Dec). However orders may be placed any time throughout the year.					
Order from					
Red Flower Publication Pvt. Ltd., 48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I, Delhi - 110 091 (India) Mobile: 8130750089, Phone: 91-11-79695648, 22754205, 22756995, E-mail: sales@rfppl.co.in , Website: www.rfppl.co.in					

Indian Journal of Legal Medicine

Editor-in-Chief

Mohit Gupta

Associate Professor,
Department of Forensic Medicine and Toxicology,
VMMC and Safdarjung Hospital, New Delhi 110029, India
E-mail: drmohitfm@gmail.com

National Editorial Board

Ajay Kumar,

Associate Professor,
Dept. Forensic Medicine and Toxicology,
Government Medical College and Hospital,
Sector 32-B, Chandigarh 160047, India.
E-mail: iamdrajay@gmail.com

Bhaskar Shenoy,

Consultant and Chief,
Division of Pediatric Infectious diseases,
Pediatric Department, Manipal Hospital,
Bengaluru, Karnataka 560017, India.
E-mail: bshenoy@gmail.com

Caesar Roy,

Vice Principal,
Midnapore Law College, Vidyasagar University,
Midnapore, West Bengal 721102, India.
E-mail: caesarroy123@gmail.com

Chetan Kumar R,

Assistant Professor,
Department of Forensic Medicine,
Government Medical College,
Bhilwara, Rajasthan 311001, India.
E-mail: drchetansamra@gmail.com

Lohith Kumar R,

Assistant Professor,
Department of Forensic Medicine,
Shimoga Institute of Medical Sciences,
Shivamogga, Karnataka 577201, India.
E-mail: lohithkumar1612@gmail.com

Mahesh Kumar,

Assistant Professor,
Department of Forensic Medicine,
Indira Gandhi Medical College
Shimla, Himachal Pradesh 171001, India.
E-mail: mahesh25881@gmail.com

Pragnesh B. Parmar,

Associate Professor and in charge Head,
Dept. of Forensic Medicine and Toxicology,
Medical Education Unit,
GMERS Medical College,
Valsad, Gujarat 396001, India.
E-mail: drprag@gmail.com

Rajesh Kumar Chaturvedi,

Professor and Head,
Dept. of Forensic Medicine and Toxicology,
T S M Medical College and Hospital,
Lucknow, Uttar Pradesh 226008, India.
E-mail: drrajeshchaturvedi@rediffmail.com

Ruchira Sethi,

Associate Professor,
Dept of Anatomy,
Heritage Institute of Medical Sciences,
Varanasi, Uttar Pradesh 221311, India
E-mail: ruchirasethi@gmail.com

Shashidhar Prasad Garg,

Professor and Head,
Department of Forensic Medicine,
Shyam Shah Medical College
Rewa, Madhya Pradesh 486001
E-mail: spgargrewa@gmail.com

Vijayanath V,

Professor,
Department of Forensic Medicine,
ESIC Medical College and PGIMS,
(Ministry of Labour, Government of India)
Rajajinagar, Bengaluru, Karnataka 560010, India.
E-mail: drvijayanath@gmail.com

Vivekanshu Verma,

Associate Consultant and Fellow,
Medanta the Medicity Hospital,
Sector 38, Gurugram, Haryana 122001, India.
E-mail: Vivekanshu@yahoo.co.in

Managing Editor: A. Lal

Publication Editor: Dinesh kumar kashyap

All rights reserved. The views and opinions expressed are of the authors and not of the **Indian Journal of Legal Medicine**. The Journal does not guarantee directly or indirectly the quality or efficacy of any product or service featured in the the advertisement in the journal, which are purely commercial.

Corresponding address
Red Flower Publication Pvt. Ltd.
48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I
Delhi - 110 091 (India)
Phone: 91-11-22754205, 79695648, Mob. 9821671871
Fax: 91-11-22754205
E-mail: info@rfppl.co.in, Web: www.rfppl.co.in

Indian Journal of Legal Medicine is dedicated to promoting Medico-Legal knowledge in all its aspects. The issues in this rapidly changing area of the healthcare sciences and the law are generally of a complex nature. **Indian Journal of Legal Medicine** provides an opportunity for a detailed debate of those issues which lack simplistic answers. This journal is to inform professionals of current legal and ethical issues related to patient care and also provides an academic and scientific forum for practitioners and academics to debate medico-legal issues of importance to individuals and society as a whole.

Subscription Information

Indian

Institutional (1 year) (Print+Online): INR8500

Rest of the World

Institutional (1 year) (Print+Online): \$664

Payment method

Online payment link:

<http://rfppl.co.in/payment.php?mid=15>

By cheque/Demand Draft:

Cheque should be in the name of **Red Flower Publication Pvt. Ltd.** payable at Delhi.

Wire transfer/NEFT/RTGS:

Bank Account No:	604320110000467
Beneficiary Name:	Red Flower Publication Pvt. Ltd.
Bank and Branch Name:	Bank of India; Mayur Vihar, Phase-I, Delhi – 110 091 (India)
MICR Code:	110013045
Branch Code:	6043
IFSC Code:	BKID0006043 (used for RTGS and NEFT transactions)
Swift Code:	BKIDINBBDOS

Send all Orders to: **Red Flower Publication Pvt. Ltd.**, 48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I, Delhi – 110 091, India, Phone: 91-11-22754205, 79695648, Mob. 9821671871, Fax: 91-11-22754205, E-mail: sales@rfppl.co.in, Website: www.rfppl.co.in.

Contents

Original Research Articles

- Distribution of Fingerprint Patterns in North: Indian Population** 09
Prasansha Singla

Review Articles

- Mapping Toxic Disasters around the Globe: An Indian Society of Toxicology Initiative for Legal Regulation on Environmental Toxicity** 15
Vivekanshu Verma, Vijay Vasudev Pillay
- Significance of Treatment Consent, Pre Interaction work up and Clinical Documentation During COVID-19 in Dental Clinics** 22
Abhimanyu Sharma, Sunil Chaudhary, Ishaan Chawla, Shrish Gautam, Jyoti Ahlawat
- Bite Mark, a Pivotal Tool in Crime Investigation: A Review** 26
Anandita Kale, Namratha Patil
- Industrial Accidents- Medicolegal Issues Reviewed** 32
Vivekanshu Verma, Santosh kumar Verma
- Guidelines for Authors** 41

Red Flower Publication (P) Ltd.Presents its Book Publications for sale

- | | |
|---|---------------|
| 1. Drugs in Anesthesia (2020)
<i>By R Varaprasad</i> | INR 449/USD35 |
| 2. MCQs in Minimal Access and Bariatric Surgery (2nd Edition) (2020)
<i>By Anshuman Kaushal, Dhruv Kundra</i> | INR 545/USD42 |
| 3. Beyond Medicine A to E for the medical professionals (2020)
<i>By Kalidas Dattatraya Chavan, Sandeep Vishwas Mane, Sunil Namdeo Thitame</i> | INR 390/USD31 |
| 4. Statistics in Genetic Data Analysis (2020)
<i>By Dr. S. Venkatasubramanian, J. Kezia Angeline</i> | INR 299/USD23 |
| 5. Chhotanagpur A Hinterland of Tribes (2020)
<i>By Ambrish Gautam, Ph.D</i> | INR 250/USD20 |
| 6. Patient Care Management (2019)
<i>By A.K. Mohiuddin</i> | INR 999/USD78 |
| 7. Drugs in Anesthesia and Critical Care (2019)
<i>By Bhavna Gupta, Lalit Gupta</i> | INR 595/USD46 |
| 8. Critical Care Nursing in Emergency Toxicology (2019)
<i>By Vivekanshu Verma, Sandhya Shankar Pandey, Atul Bansal</i> | INR 460/USD34 |
| 9. Practical Record Book of Forensic Medicine and Toxicology (2019)
<i>By Akhilesh K. Pathak</i> | INR 299/USD23 |
| 10. Skeletal and Structural Organizations of Human Body (2019)
<i>By D. R. Singh</i> | INR 659/USD51 |
| 11. Comprehensive Medical Pharmacology (2019)
<i>By Ahmad Najmi</i> | INR 599/USD47 |
| 12. Practical Emergency Trauma Toxicology Cases Workbook in Simulation Training (2019)
<i>By Vivekanshu Verma, Shiv Rattan Kochar & Devendra Richhariya</i> | INR395/USD31 |
| 13. MCQs in Minimal Access & Bariatric Surgery (2019)
<i>By Anshuman Kaushal & Dhruv Kundra</i> | INR450/USD35 |
| 14. Biostatistics Methods for Medical Research (2019)
<i>By Sanjeev Sarmukaddam</i> | INR549/USD44 |
| 15. MCQs in Medical Physiology (2019) by Bharati Mehta &
<i>By Bharti Bhandari Rathore</i> | INR300/USD29 |
| 16. Synopsis of Anesthesia (2019) by Lalit Gupta &
<i>By Bhavna Gupta</i> | INR1195/USD95 |
| 17. Shipping Economics (2018) by D. Amutha, Ph.D. | INR345/USD27 |

Order from**Red Flower Publication Pvt. Ltd.**

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Mobile: 8130750089, Phone: 91-11-79695648, 22754205, 22756995

E-mail: sales@rfppl.co.in

Distribution of Fingerprint Patterns in North: Indian Population

Prasansha Singla

B.Sc. Forensic Science, Amity University, Panchgaon, Manesar, Gurugram, Haryana 122413, India

How to cite this article:

Prasansha Singla. Distribution of Fingerprint Patterns in North: Indian Population. Indian Journal of Legal Medicine. 2020;2(1):9-13.

Abstract

The study of epidermal ridge pattern of finger, sole and palm is known as Dactylographic or Dactyloscopy. The Dactyloscopy relays on the analysis on the pattern type. There are greater and progressive advancement in the field of forensic fingerprint and technologies related to this analysis like recording, lifting, and developing of prints under different conditions. Fingerprints are the chief and paramount importance in the field of forensic investigation. These are unique, difficult to alter and durable over the life of an individual. Identification using the fingerprints is outright and unerring. At the crime scene, identification can be made by comparing very small portion of ridges left. The present study was carried out among 500 peoples, 250 males and 250 females of North Indian population belonging to age between 10-80 years with the aim to found the most popular pattern found in North Indians mainly Haryanvi's. The rolled fingerprints were taken using by the ink method and their patterns were identified. This prospective study was carried out over the period of approx 6 months. The results showed the majority of population having the Loop pattern that is 57.5% of total population.

Keywords: Dactyloscopy; North Indians; Loops; Whorls; Arches.

Introduction

The study of ridge pattern of fingers, sole, and palm is known as Dactyloscopy. The word Dactyloscopy origin from the ancient Greek word (daktylos means "finger") and (skopeō means "look at").^{1,2} It is the process of comparing two finger ridges skin impression are likely to have same origin or not. Fingerprints is an impression of ridge outline which appears on the anterior surface of finger of the proximal, middle and distal phalanges and same on the thumb.^{3,6} It is the raised portion of epidermis on the finger and toes and these ridges sometimes also known as epidermal ridges. These are reproduction of friction skin ridges present on the palmar of hand and sole of the feet.⁷ These ridges designed to provide former grip and resistance to slip. The pores present in between of these ridges, from which perspiration is discharge due to which impression was deposited on the surface.^{4,5} The study of pores is known as Poroscopy. The science of Poroscopy was established in 1912 by Sir Edmond Locard in France.

The fingerprint is one of the most important and valuable evidence which is generally find at the place of the scene of crime. It is so important due to their uniqueness, availability, universality and permanency. Fingerprint evidence is perhaps the most common type of physical evidences found at the crime scene.^{8,11,13} Their development and identification helps to prove criminal physical presence at the scene of crime. It is extremely difficult for the criminal to commit the crime without leaving behind his fingerprints in cases such as theft, burglary, house breaking etc.; unless

Corresponding Author: Prasansha Singla, B.Sc. Forensic Science, Amity University, Panchgaon, Manesar, Gurugram, Haryana - 122413, India

E-mail: prasansha0828@gmail.com

they wears gloves but from the gloves also there are chance to lift the prints. Since the ridges present on epidermal surface of finger and palm emit a film of perspiration of oily matter. There is a tendency for ridge impression to adhere to non-porous object that person may touch.^{9,10} On the basis of visibility, fingerprint can be classified into 3 categories i.e. Patent, Latent and Plastic. The forms of latent prints sometimes smudge, partial, incomplete left as crime scene unknowingly or by chance by perpetrator.¹² So the present study is an attempt to the determined the distribution of the different kind of patterns among the population of north Indians mainly people belong to Haryana.

Material and Methodology

The aim of the study is to find out and analyse all ten digit fingerprints of an individual and analyse different patterns among the different age groups. The main aim to understand the big picture of fingerprints taken from 500 Haryana citizens mainly from Faridabad and Gurugram in which 250 are females and 250 are males aged belong to 10 to 80 years were taken in the month of December to May in year 2019-20. The whole study takes the time of approx 6 months.

The materials used in the study were black ink, magnified lens, pencil and performa. The entire sample was taken in fingerprint card (shown in fig. 1). The inkless fingerprint pad was used for taking prints

People with any kind of deformities, permanent scars and any extra finger or bandage finger were excluded from the study. The verbal content of all the subjects was obtained after properly explanation about the objectives of the study to them. The entire subjects are requested to wash their hand with the ether or alcohol and dried completely to remove dirt, grease and sweat. In this study take the rolled fingerprint, all ten digits; rolled from nail to nail. Then the plain impressions are used to verify the accuracy of rolled fingerprints. The subjects are allowing rolling of their fingers in the ink pad and then allow rolling it on the given space in the fingerprint card. Roll the finger on the ink pad in such a way that entire fingerprint pattern area is evenly covered with the ink. Ink should be covered from one edge to the nail to the other and from the crease of the first joint to the tip of the finger. The limited amount of ink was used with the limited pressure. During the time of lifting of fingerprint on the card extra care should be taken to avoid the smudging. All the 10 digits fingerprint was taken in the same method and at last plain impression were taken. In this individual's finger, keeping together and press on the paper in their allotted space after applying on the ink. Repeat the same process for the both thumbs.

After the fingerprint acquired, personal detail such as subject's name, age, sex, height etc. were taken with their signatures. Each subject assigned the serial number. In last prints that were taken were analysed under a magnified lens and studied

FINGERPRINT CARD									
LAST NAME		FIRST NAME		MIDDLE NAME		SEX		AGE	
DATE OF BIRTH	PLACE OF BIRTH	SOCIAL SECURITY NUMBER	SEX	RACE	HEIGHT	WEIGHT	EDUC	RELIG	MARK
SIGNATURE OF PERSON TAKING FINGERPRINTS		PRINTED NAME OF PERSON TAKING FINGERPRINTS							
SIGNATURE OF PERSON TAKING FINGERPRINTS		PRINTED NAME OF PERSON TAKING FINGERPRINTS							
1. RIGHT THUMB		2. RIGHT INDEX		3. RIGHT MIDDLE		4. RIGHT RING		5. RIGHT LITTLE	
6. LEFT THUMB		7. LEFT INDEX		8. LEFT MIDDLE		9. LEFT RING		10. LEFT LITTLE	
<div style="display: flex; justify-content: space-between;"> <div>LEFT FOUR FINGER PLACING THUMB ON TOP (THUMB ON TOP)</div> <div>THUMB</div> <div>THUMB</div> <div>RIGHT FOUR FINGER PLACING THUMB ON TOP (THUMB ON TOP)</div> </div>									

Fig. 1: Fingerprint Card

for identified for patterns i.e. Loops, whorls, and arches based on the appearance of ridges lines.

Result and Observation:

Table 1: Distribution of primary fingerprint patterns among the subject.

Fingerprint Pattern	Total Number	Percentage
Loop	2875	57.5%
Whorl	1340	26.8%
Arches	165	3.3%
Composites	620	12.4%
Total	5000	100%




Fig. 2: Distribution of fingerprint patterns

Table 2: Distribution of loops, whorls, arches and composites with their percentage.

Digits		Number	Loops	%	Whorls	%	Arches	%	Composites	%
Thumb	Right	500	275	55.0%	170	34.0%	0	0.0%	65	13.0%
	Left	500	324	64.8%	127	25.4%	1	0.2%	56	11.2%
	Total	1000	599	59.9%	297	29.7%	1	0.1%	121	12.1%
Index	Right	500	243	48.6%	149	29.8%	49	9.8%	53	10.6%
	Left	500	212	42.4%	156	31.2%	53	10.6%	60	12.0%
	Total	1000	455	45.5%	305	30.5%	102	10.2%	113	11.3%
Middle	Right	500	357	71.4%	63	12.6%	15	3.0%	104	20.8%
	Left	500	307	61.4%	99	19.8%	15	3.0%	106	21.2%
	Total	1000	664	66.4%	162	16.2%	30	3.0%	210	21.0%
Ring	Right	500	215	43.0%	216	43.2%	9	1.8%	40	8.0%
	Left	500	224	44.8%	209	41.8%	2	0.4%	77	15.4%
	Total	1000	439	43.9%	425	42.5%	11	1.1%	117	11.7%
Little	Right	500	372	74.4%	59	11.8%	19	3.8%	24	4.8%
	Left	500	346	69.2%	92	18.4%	2	0.4%	35	7.0%
	Total	1000	718	71.8%	151	15.1%	21	2.1%	59	5.9%
Total	Right	2500	1462	58.5%	657	26.3%	92	3.7%	286	11.4%
	Left	2500	1413	56.5%	683	27.3%	73	2.9%	334	13.4%
	Total	5000	2875	57.5%	1340	26.8%	165	3.3%	620	12.4%



Table 3: Showing some of the Fingerprint sample taken from the North - Indian population

Discussion

Fingerprint patterns are very unique and remain unchanged throughout the life. Even the two identical twins don't have the same fingerprints patterns. Hence, it plays a very important role in forensic investigation. The first work was done in China, approx 3000 years back, to sign the legal documents. After that there is a long history of the fingerprints but the main and most important event took place when Bertillon began his work on the fingerprint system. William Herschel, British civil servant, started fingerprints for personal identification, i.e. mainly right hand imprints to sign the legal contracts but that time his motive remained unclear. The advantages of using the fingerprint pattern as a mean of identification. After that Faulds worked on the fingerprint and suggested that there are different kinds of fingerprint patterns or ridges which gave importance in the investigation of criminals. The system of classification was given by Sir Francis Galton, by publishing his book on "Finger Prints" and this classification is even used today, is a modified version of the system proposed by Sir Francis Galton and was modified by Sir Edward Henry and this classification is known as Henry's System of Classification or Henry Galton method. This is the most effective and efficient method used by almost all over the universe. There are four basic fingerprint patterns which are used in this study which are: Loops, Whorls, Arches and Composites. Loops can be seen in almost 60 to 70% of the world population fingerprints. Loop can be distinguished by how the loop flows on the hand. Loop pattern has one delta and one core. There are 3 types of the loop pattern i.e. Ulnar loop, Radial loop and Double loop. Arches are the least seen among the population. It's about only 5% and there is no delta. The ridges run continuously from one side to the other side of the finger. There are 2 types of arch pattern i.e. plain arch and tented arch. Whorls can be seen in about 22 to 30% of the fingerprints. Pattern that contains two or more deltas will be a whorl and can be categorised in 3 groups, i.e. plain whorl, central pocket and accidental.

Conclusion

The present study prominence that the loop patterns are the predominating and arches are the least occurring in the North Indian population. It may help in increasing the authenticity of fingerprints in identification of individuals and solving of crimes. The result was obtained that

in the overall population loop pattern have the highest frequency i.e. 57.5% and the arches having the lowest frequency i.e. 3.3%. The whorls contain the 26.8% of total population. In table 2, Loop patterns were prevalent in the Little finger and in the middle finger but the Whorls were prevalent only in the ring finger. Arches were more seen in the index finger and composites were mostly found in the middle finger. Thus, different patterns were seen their preferences in the different digits.

References

1. Surinder Nath, 1984. Finger Print Identification, Gita Press, Delhi, 1-15
2. Montain, S.J., et al. "Sweat mineral-element responses during 7 h of exercise-heat stress." International, U.S National Library of Medicine. International Journal of Sport Nutrition and Exercise Metabolism. December 17, 2007
3. Cummins H Palmar. Plantar epidermal ridge configuration (dermatoglyphics) in Europeans and Americans. Am J Phy Anthropol 1926; 179:741-802.
4. Fingerprint. Available online at: <http://en.wikipedia.org/wiki/Fingerprint>
5. Nandy A. Identification principles of forensic medicine 2nd edition. New Central Book Agency (P) LTD. Calcutta. 2001:47-109.
6. Pillay, V.V. Textbook of Forensic Medicine and Toxicology. 15th ed. Hyderabad: Paras Medical Publishers, 2009: 53-94.
7. Kanchan, T. Chattopadhyay, S. Distribution of Fingerprint Patterns among Medical Students. Journal of Indian Academy of Forensic Medicine, 2006; 28(2): 65-68.
8. Vij, K. Textbook of Forensic Medicine and Toxicology. 3rd ed. New Delhi: Elsevier, 2005: 89-91.
9. Subrahmanyam, B.V. In: Modi's Medical Jurisprudence and Toxicology. 22nd ed. New Delhi: Butterworths India, 1999: 71-77.
10. Bharadwaja A., Saraswat P.K., Agrawal S.K., et al. Pattern of fingerprints in different ABO blood groups. Journal of Forensic medicine & Toxicology, 2004; 21(2): 49-52.
11. Subrahmanyam BV. Personal Identity. Modi's Medical Jurisprudence and Toxicology 22nd Edition. Butterworths, New Delhi. 2001:37-40
12. Houbing Song, Glenn A. Fink And Sabina Jeschke (2017). Security And Privacy in cyber physical system: Foundations, Principle, And Applications. John Wiley and Sons.
13. Henry, Edward R, Sir (1900). "Classification and Uses of fingerprint" London: George Rutledge and Sons, Ltd. Archived from the original on oct.13, 2006

Indian Journal of Legal Medicine

Library Recommendation Form

If you would like to recommend this journal to your library, simply complete the form given below and return it to us. Please type or print the information clearly. We will forward a sample copy to your library, along with this recommendation card.

Please send a sample copy to:

Name of Librarian

Name of Library

Address of Library

Recommended by:

Your Name/ Title

Department

Address

Dear Librarian,

I would like to recommend that your library subscribe to the Indian Journal of Legal Medicine. I believe the major future uses of the journal for your library would provide:

1. Useful information for members of my specialty.
2. An excellent research aid.
3. An invaluable student resource.

I have a personal subscription and understand and appreciate the value an institutional subscription would mean to our staff.

Should the journal you're reading right now be a part of your University or institution's library? To have a free sample sent to your librarian, simply fill out and mail this today!

Stock Manager

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Phone: 91-11-79695648, 22754205, 22756995, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Mapping Toxic Disasters around the Globe: An Indian Society of Toxicology Initiative for Legal Regulation on Environmental Toxicity

Vivekanshu Verma¹, Vijay Vasudev Pillay

¹Fellow of India Society of Toxicology, Associate consultant, Emergency and Trauma care medanta- The Medicity, Gurugram,
²Chief, AIMS Poison control centre, Professor & head forensic medicine & Toxicology Amrita School of Medicine Amrita Vishwa
vidyapeetham, Cochin, Kerala

How to cite this article:

Vivekanshu Verma, Vijay Vasudev Pillay. Mapping Toxic Disasters around the Globe: An Indian Society of Toxicology initiative for Legal regulation on Environmental Toxicity. Indian Journal of Legal Medicine. 2020;2(1):15-21

Abstract:

Mapping Toxic Disasters, based on the past incidences becomes relevant. So, the Toxic Map is prepared by the Indian Society of Toxicology to call out the emergency medical services to prepare for managing the future toxic disasters, based on the common toxins in that region, easily available to the vulnerable population. The goal of the initiative is to prioritize toxic xenobiotic substances for further in-depth toxicological evaluation as well as identify their pattern of availability in the environment, in their region of production, consumption or improper disposal, and further prevention of such as toxin-associated morbidity & mortality in community, leading to mass casualties, since the time immemorial.

Keywords: (Toxicity, Map, Atlas, Global, disaster, environment, Health, safety, prevention, preparation, Hazardous)

Introduction

Environmentally Toxic Exposures: A to Z in environmental toxicity caused by CBRNE.

CBRNE stands for:

- *C-Chemicals*- HOOCH - Methanol, ethylene glycol;; OPC (Organophosphates)- Tabun, Sarin, Soman; Methylene Isocyanate (MIC)- Bhopal gas; Cyanide/ CO/ H₂S gas
- *B-Biological* - Anthrax, Smallpox

- *R-Radiological* - Radioactive heavy metals- Polonium
- *N-Nuclear Disasters*- Hiroshima Nagasaki in Japan
- *E-Explosives*- Iran Iraq War

Search for Toxic look- alike, Toxic sound- alike, Toxic taste- alike, Toxic smell- alike on & around the victim, after checking scene safety as per WHO protocol: Dr.ABCDE (easy recall as name of some unknown doctor)

This follows the general principles of life support given below:

- Dr-ABCDE
- D - DANGER - scene safety- Radiation/ Hazardous chemical/ Cyanide/CO/H₂S gas
- R - RESPONSE- call for help
- A - AIRWAY secured & maintains patency/ Antidote
- B - BREATHING support
- C - CIRCULATION maintain access
- D - DISABILITY/ Decontamination- Whole body
- E - EXPOSE THE PATIENT completely- to find poisonous bites/stings
- F- Foley's catheterization for rapid excretion of toxic metabolites
- G-Gastric lavage for decontamination
- I- Isolation of patient & I-Intermittent rotation of Health Care provider to prevent further spread of toxicity to others (occupational hazards)

Corresponding Author: Vivekanshu Verma, Associate Consultant and Fellow, Department of Emergency and Trauma Care, Medanta - The Medicity, Gurugram, Haryana 122001, India.

E-mail: vivekanshu@yahoo.co.in

Mapping Atlas of Toxic Disasters around the Globe Indian Society of Toxicology

North West (Europe)	North (Ukraine-Russia- Siberia)	North East (China, North Korea)
<ul style="list-style-type: none"> Jewish German Holocaust- Cyanide Gas¹ Toxic chemical spill (Switzerland)2Rhine Red, Fish Dead (organophosphate insecticides, mercury compounds & Organochlorines)³ Notre Dame Holy waterpoisoning in Paris Dioxin- Seveso industrial disaster-Italy¹⁷ Huelva mines- Metal fume toxicity in Riotinto³³ 	<ul style="list-style-type: none"> Chernobyl Nuclear Disaster -Ukraine radioactive metal toxicity⁸ Rum Whiskey intoxication Rasputin Execution failed - Cyanide laced Rum-Cake¹ 	<ul style="list-style-type: none"> Opium-silk route (Golden Triangle)²³ Baotou toxic lake: man-made lake of toxic waste¹⁸
West (North America - USA, Mexico, Canada)	Central (Middle East,Africa-Arabia- UAE)	East (South Korea Japan)
<ul style="list-style-type: none"> Battery lead contamination-Industrial Lead toxicity in Los Angeles, California⁴ Greenpoint Oil Spill - Brooklyn, New York⁵ Toxic Potato Salad (Ohio)- Large outbreak of botulism associated with a church potluck⁶ Bitter Coffee at Church Breakfast- Cyanide Tragedy⁷ United States of Toxins- Utah & Nevada- metal mining- metal fume toxicity²⁰ Iatrogenic Opioid Epidemic²⁴ 	<ul style="list-style-type: none"> Lily of the Valley²⁸ Mad-Honey, bee and wasp stings Cantharides Golden Crescent- Opium (Afghanistan-Iran-Pakistan)²⁵ Carbon monoxide - Gas Heaters²⁷ Apricot- Cyanide¹ 	<ul style="list-style-type: none"> Red-tide + Harmful algal bloom in sea coast in summers²⁹ Seafood poisoning - Fugu, Ciguatera Sarin (OPC) Tokyo Subway - Bioterrorism (641 victims)¹⁵ Fukushima Daiichi nuclear disaster¹⁶ Cadmium toxicity - Itai-itai disease- "it hurts-it hurts disease" Jinzu river basin-Toyama Prefecture, Japan³⁵ Methyl mercury- Minamata disease^{18,19} Hiroshima Nagasaki Nuclear Attack & resulting toxicity in Japan³⁷
South West (South America, Brazil, Peru, West Indies)	South (Australia, South Africa)	South East (Asia -India- Malaysia, Cambodia, Thailand, srilanka)
<ul style="list-style-type: none"> Black widow Spider Black scorpion People's temple massacre -Cyanide laced drinks¹ 	<ul style="list-style-type: none"> Rattle Snake and Coral Snake³² Ivory Coast toxic waste dumped of toxic oil sludge Esperance's lead poisoning disaster²¹ 	<ul style="list-style-type: none"> Opium (Golden triangle) India-China- Malaysia- Thailand²² East India: toxic runoff of Arsenic, Pesticides²⁶ India, Srilanka- Cobra, Viper, Krait¹ Western Ghats- Red scorpion² HOOCH Tragedy- Methanol Country Liquor- Malaysia, India Methyl IsoCyanate (MIC) Bhopal Gas Tragedy- World's Worst Industrial Disaster South India: Cyanide Tragedy by Goldsmith's powder (KCN)- Cyanide Mallika^{9,10} Cyanide Mohan¹¹, Cyanide Jolly-killer of kin- Soup¹². Cyanide Rash- Cassava tubers, Tapioca Karnataka-Pesticide casualty - Holy Prasad¹³ Carbon monoxide epidemic in winters-Sigdi, Kangri Gas Geysers

©Indian Society of Toxicology: Dr Vivekanshu Verma, Dr VV Pillay

Rx- Decontamination & Antidotes in HAZMAT protocol:* ABCDEFGHIJKL

- A-ALARA (As Low As Reasonably Achievable) principle
- A-Antidotes (Atropine/ PAM/ NAC/ KI) / Activated charcoal / Antibiotic prophylaxis for immunocompromised
- B- Blocking absorption (Radioiodine absorption blocked with potassium iodide),
- B-Bronchoalveolar lavage for removing inhaled HAZMAT
- C- Chelating agents for radioactive metals (Prussian Blue chelates Caesium & Thallium; DTPA chelates Plutonium, Americium, Curium)
- C-Counters of counting toxic radiation dose
- C-Cytokines / CSF (Colony Stimulating factors) for managing low Blood counts

- D- Decontamination of clothes, hair / Detoxify / DMPA / Dosimeters
 - E- Emesis timing prognosis/ Exposure/ Elimination by Dialysis / EDTA
 - F-Foley's catheter- 24 hr urine collect
 - G- Gastric lavage within 1 hour
 - I-Isolation of patient, his waste, his clothes/ I-Isotopic Dilution
 - J-Judicious investigations of all body fluids
 - K- KI for Radio iodine
 - L- Lymphocyte count depletion\
- PPE (*Personal-Protective-Equipment*) for HAZMAT Team handling victims:
- HAZMAT- stands for HAZardousMAterial: radiotoxic solids/liquids/Gas
- A-Aprons of Lead

- A-Air Purifying Respirator(APR)
 - B- Breathing Apparatus
 - B- Booties of Rubber/Leather upto the knees
 - B- Biohazard bags with International Biohazard Sign for collecting samples/ disposing the contaminated clothes/ liquids.
 - B-Barrier creams - toothpaste applied around eyelids
 - C- Caps of plastic for Head
 - C-Chemical resistant clothing (overalls and long-sleeved jacket, coveralls, hooded two-piece chemical splash suit, disposable chemical resistant coveralls
 - C-Closed-circuit type filters, supplements, and recirculates exhaled gas.
 - C-Compressed Air Breathing Apparatus (CABA) or self-contained breathing apparatus (SCBA) is a Positive pressure device worn by HAZMAT rescue workers, firefighters, and others to provide breathable air in an immediately dangerous to life or health atmosphere. SCUBA (Self-Contained Underwater Breathing Apparatus) has cylinder to go inside deep waters.
 - D-Decontamination Showers after handling the suspected victim
 - D- Dosimeters should be worn at the neck for easy access by the RSO(Radiation safety Officer)
 - E- Eye shield & Ear Plugs in noise reduction in industrial safety
 - F-Face Shields for splash/ burst of container
 - F-Footwear protection (Disposable)
 - G- Goggles (Lightweight, Reusable, Indirect Vented (Splash proof),Clear Vision with a Wide Flange and Latex-free) for examining radioactive substances
 - G-Gloves of Yellow Rubber
 - G-Gown of plastic covering whole body- like astronaut dress
 - H-Helmets to safeguard from Head injury in extrication of victims from collapsed vehicles/ buildings
 - H-Hood mask with Oxygen cylinder, for going inside closed spaces with toxic fumes
 - H-High visibility clothing- fluorescent stripes
 - I-Isolation
- PPE is divided into four categories based on the degree of protection afforded.
- 1) Level A protection should be worn when the highest level of respiratory, skin, eye and



Fig. 1: Hazardous material disposition in coloured bins (Cited from our book on Critical care nursing in Emergency toxicology)

mucous membrane protection is needed.

- 2) Level B protection should be selected when the highest level of respiratory protection is needed, but a lesser level of skin and eye protection is needed.
- 3) Level C protection should be selected when the type of airborne substance is known, concentration measured, criteria for using air-purifying respirators met, and skin and eye exposure is unlikely.
- 4) Level D protection is primarily a work uniform and is used for nuisance contamination only.

Discussion

Mapping Toxic exposures is utilised by crime investigation agencies like CIA (Central Investigating Agency) of America, and thus the terms has come: Golden crescent & golden triangle of Opium trafficking.

Crescent moon symbolises Islamic Republic-Afghanistan, Pakistan Iran, have crescent moon in their flag, calendar is based on the moon waxing & waning, and opium is sold & supplied in exchange to gold at high price illegally from these countries, so its nicknamed as golden crescent.

Toxic Runoff during Floods: The inundation of an area with water can cause chemical release in other ways. In rural areas, runoff from flooded areas can carry with it eroded soil containing fertilizers, herbicides and insecticides. Runoff from motorways, roads and bridges may contain heavy metals, petroleum hydrocarbons and polycyclic aromatic hydrocarbons. Runoff from inundated waste sites may contain a variety of toxic chemicals, depending on what was stored on the site. Arsenic Floods in Rice Harvest in East India. Some crops, such as rice, absorb arsenic easily, leading to contamination in the food chain. An estimated 1,360 tonnes of arsenic are pumped up by the tubewells and added yearly to the fertile soils here. For the last two decades the world has been trying to explain how arsenic leaches into groundwater in the Ganga-Meghna-Brahmaputra floodplain. The latest research says floodwaters can remove arsenic.

Carbon monoxide poisoning during floods and winters: Carbon monoxide poisoning resulting from the incorrect use of fuel burning generators for electricity, barbeques, braziers or buckets of coal or charcoal for heating and cooking, or petrol-driven pumps and dehumidifiers to dry out flooded rooms. CO poisoning must form part of syndromic (Toxidrome) and event based surveillance systems for flooding and should be included in measures of the health impact of flooding.



Fig. 2: Toxic Calendar by Indian Society of Toxicology

On August 20, 2006, toxic waste was illegally exported from Europe by multinational trading company and left in Akoudo, a dump site in the middle of a poor residential area of Abidjan, and in 18 other sites in the city. Tens of thousands of people suffered severe health effects and 15 to 17 people died. The waste was produced from unrefined gasoline by a process called caustic washing, a process banned by most countries. Ivorians staged protests and demonstrations in the city following the dumping.³²

In Japan the most heavily cadmium (Cd)-polluted region is the Jinzu river basin, where Itai-itai disease is endemic and the Kakehashi river basin is the second most polluted region.. The village average Cd concentrations in rice were distributed in the range between 0.02 microg/g and 1.06 microg/g in the Jinzu river basin and 0.11 microg/g and 0.67 microg/g in the Kakehashi river basin. Severe renal damage has occurred widely in the Jinzu river basin. Dose-response relationships between Cd exposure and health effects were clearly demonstrated in both regions.³⁵

Hazardous-Material* disposal- HAZMAT Protocol of Colour Coding of *Bio-Medical-Waste*(BMW) disposal bins inside Hospital.Easy recall colour of BMW disposal bins inside Hospital: Coloured Bio Medical Waste (BMW) bag disposal as per indian Bio-Medical Waste Management Rules, 2016.³⁶

- R-*Red-Bin*- *Recyclable* waste(R-R)- *Red* blood soaked (used) *Rubber* gloves, Rubber & Plastic tubes & IV sets.
- Y-*Yellow-Bin*- pus(Yellow) soaked Cotton Gauze pieces & dressing, Microbiology Waste (infected pus(Yellow) producing Bacteria), Human anatomical waste (tissues, organs, fetal parts)- infected (pus filled -Yellow), Animal waste, Empty Blood bags, soiled (Yellow) linen & Contaminated Bedsheets, discarded cytotoxic drugs for Burning infective waste in Yellow fire during incineration.
- W- *White Puncture-Proof-Bin* - Whole (unbroken) metallic (White) needles, blades & sharp waste.
- *Brown-Cardboard-Box* with *Blue-Marking*- Unbroken Broken glass (Nukila Glass in Neela (Blue lining Brown Box)) & Body implants(metallic).
- *Black-Bin*- Black & white paper(non-infectious) waste- paper wraps & medications boxes of paper, tissue paper after drying washed hands.

We must underline the fact that the toxicology experts developed their assessment, identification, intervention, investigations & management in a highly charged toxic environment, causing secondary exposure to the toxins, in which arguably several strong stakeholders from the commercial industry & politics intervene, not only in establishing new regulations but also in defining risk. The lessons learned from establishing the cohorts and the pioneering analyses by Toxic detective scientists should serve as a legacy for future generations who experience occupational, medical, or environmental radiation exposures.³⁷

Updates on Workshop Proceedings for preparation and prevention of Toxic Disasters

Recently Our Toxic detective course by Indian Society of Toxicology (IST) was successful & houseful with 31 participants from all over India & abroad-Nepal (Students of Forensic Science, Forensic Medicine, Law students, and all interns, paramedics and Toxicology Nurses) and 20 faculties from all over India & abroad-Nepal, so our course by IST became internationally recognised & accepted for preventing mass disasters. It was interactive & informative as per feedback of participants & faculties. We completed it as per schedule of one day. This course was targeted for all the professionals, engaged in handling toxicological emergencies of any kind, and took this workshop as a learning experience, and the training on simulation as an introduction to Crime Scene Investigation & Environmental Toxicology.

We conducted pre & post Tests by using Online Google form, so everyone on the whatsapp group of Toxic detective could access by filling his name & email ID. That prevented wastage of paper and gives easier analysis.

Their Pretest & Post-test results comparison showed the positive impact of our unconventional method of teaching by using hand's on training on allowing all the participants to do analytical toxicology one by one on stage under supervision & guidance of the faculties. Hon'ble Past President of IST- Dr Prateek Rastogi Sir-(Kasturba Medical College, Mangalore), & Our Chief guest of honor- Respected Dr yatin Mehta Sir (Department of Critical Care, Medanta Gurugram), inaugurated the event by releasing the Toxic Calendar by Indian Society of Toxicology (Fig. 2).

For first time, our IST team demonstrated & taught the utilisation of pelvic binder in sexual assault victims bleeding by simulation on Barbie

dolls under supervision of Dr Richa Chaudhary, Associate Professor of Forensic Medicine & Toxicology at DrRMLIMS, Lucknow & Dr Vidusha Vijay, Department of Forensic Medicine & Toxicology, Victoria Hospital, Bengaluru. We kept the artificial decorative plants, roots, fruits & berries for learning botanical identification of toxic plants, on which Dr PriyamwadaKurveti, Associate Professor of Forensic Medicine & Toxicology, Gandhi Medical College, Bhopal educated the participants' alongwith Dr Ramesh K Maharjan, Professor of Emergency, Tribhuvan University, Nepal.

Similarly we used the animal toys of rubber to educate identification of the venomous snakes, scorpions, spiders, insects, sea-fishes causing toxicity taught by Dr Shiuli Rathore, Assistant Professor of Forensic Medicine & Toxicology, KGMC, Lucknow along with Dr RK Gorea, Professor of Forensic Medicine & Toxicology, Gian Medical College, Punjab & Parmod Goyal, Professor of Forensic Medicine & Toxicology, Adesh Institute of Medical Sciences & Research, Bathinda.

For simulating drugs of abuse, we kept the different coloured powders (salt, sugar, brown sugar, talcum powder) to get the visual identification of common drugs prepared illegally to bypass the legal regulation of NDPS and prevent being caught, as they look harmless household products.

Dr Amita Srivastava, Senior Scientist of AIIMS Poison Information Centre, Delhi & Dr Shikha Tandon, Consultant of Emergency, Fortis Hospital, Delhi taught about antidotes by keeping their branded medication boxes with smiles & dinging eyes, talking to the participants (done by faculties holding in their hands the antidote box) and telling the indications, contraindications, method of administration.

20 Colour tests by World Health Organisation (WHO) to identify the common poisons were demonstrated live by Dr Arun Kr. Harith, Senior Consultant of Biochemistry, Medanta the Medicity, Gurugram alongwith Dr Pallavi Jain, Assistant consultant of Biochemistry, Medanta the Medicity, Gurugram.

Our IST team conducted role plays of toxic disasters by volunteers from emergency, biochemistry, Forensic Medicine, forensic science, law students, who volunteered for the event role plays on Hooch tragedy and antifreeze toxicity among kids-performed very well by all including Ms Richa thakur, Emergency nurse, Medanta Medicity, along with Tincy, Reena, Rajni-our

emergency nursing officers under direction of Dr ArjitDey, Senior Resident from Forensic Medicine & Toxicology, AIIMS Delhi.

On behalf of Department of Emergency & Trauma Care, Medanta Medicity, We have scheduled similar Toxic detective course 2020- Masterclass & workshop by IST, on the auspicious occasion of World Health Day-7th April 2020 at Medanta Medicity Gurugram, to learn toxicology in a day.

Conclusion

Toxicity mapping is very important aspect of preventive toxicology. So, the Toxic map is prepared by the Indian Society of Toxicology to predict the common poisonings & call out the emergency medical services to prepare for managing the toxic disasters, based on the common toxins in that region, easily available to the vulnerable population. Among its many applications, toxicity prediction by Toxic map can reduce the cost and labor of Medical Services in the long run, by preventing the morbidity & mortality of innocent victims.

References

1. Holocaust- Cyanide Gas. Pillay, VV. Modern Medical Toxicology. 4th Ed. Jaypee. 2013. Toxic Gases. p369.
2. Sandoz Chemical Disaster. Giger, Walter. "The Rhine Red, the Fish Dead – The 1986 Schweizerhalle Disaster, a Retrospect and Long-term Impact Assessment." Environmental Science and Pollution Research 16, no. 1 (2009): 98-111. <http://www.environmentandsociety.org/tools/keywords/sandoz-chemical-disaster>
3. B. Hurni. Sandoz Accident. In: Organic Micropollutants in the Aquatic Environment: Proceedings of the Fifth European Symposium, Rome, Italy, October 20-22, 1987. Boston: Kluwer, 1988. P. 128-131.
4. Johnston JE, Hricko A. Industrial Lead Poisoning in Los Angeles: Anatomy of a Public Health Failure. Environ Justice. 2017;10(5):162-167. doi:10.1089/env.2017.0019
5. EPA study finds vapor in Greenpoint businesses "above Upper Explosive Limit.", United States Environmental Protection Agency, September 12, 2007
6. McCarty CL: Large outbreak of botulism associated with a church potluck meal – Ohio, 2015. CDC MMWR, 64: 802-803, 2015.
7. Poisoning and suicide by cyanide jewelry cleaner

- in the US Hmong community: a case series. *ClinToxicol (Phila)*. 2012 Feb;50(2):136-40.
8. Chernobyl disaster. <https://www.world-nuclear.org/information-library/safety-and-security/safety-of-plants/chernobyl-accident.aspx>
 9. Karnataka High Court decision in case of Mallika @ Kala @ Kempammav State Of Karnataka on 27 November, 2018 <https://indiankanoon.org/doc/175213358/>
 10. Karnataka High Court in The Registrar General vs Mallika @ Lakshmi @ Shivamogga... on 2 August, 2012. <https://indiankanoon.org/doc/151419510/>
 11. Farrell, Michael. *Criminology of Serial Poisoners*. Springer 2018
 12. <https://www.nytimes.com/2019/10/19/world/asia/india-koodathayai-murder.html>
 13. <https://www.indiatoday.in/india/story/poisonous-prasad-14-dead-karnataka-temple-1411705-2018-12-18>
 14. Notre Dame holy water 'poisons tourists' | <https://www.dailymail.co.uk/news/article-6054623/Tourists-left-tingling-faces-signing-holy-water-Notre-Dame.html>
 15. Ohbu S, Yamashina A, Takasu N, Yamaguchi T, Murai T, Nakano K, Matsui Y, Mikami R, Sakurai K, Hinohara S. Sarin poisoning on Tokyo subway. *South Med J*. 1997 Jun;90(6):587-93.
 16. <https://www.world-nuclear.org/information-library/safety-and-security/safety-of-plants/fukushima-daiichi-accident.aspx>
 17. Dioxin-Seveso industrial disaster-Italy. https://journals.lww.com/epidem/Fulltext/2006/11001/The_Seveso_Accident_A_Prototype_of_Environmental.192.aspx
 18. Clark RB. (1997). *Marine Pollution* (4th ed.). New York, NY: Oxford University Press. p. 161. ISBN 978-0-198-50069-8.
 19. Nabi, Shabnum (2014). "Methylmercury and Minamata Disease". *Toxic Effects of Mercury*. Springer, New Delhi. pp. 187-199. doi:10.1007/978-81-322-1922-4_25.
 20. Utah metal mining- Lead fume toxicity- United States of Toxins <https://www.forbes.com/sites/priceconomics/2017/11/07/the-most-and-least-toxic-places-in-america/#1f3950a04ac1>
 21. 37th Parliament report on Inquiry into the cause and extent of Esperance's lead poisoning disaster. [https://www.parliament.wa.gov.au/Parliament/commit.nsf/\(Report+Lookup+by+Com+ID\)/28F900665F5C386048257831003E970C/\\$file/COMPLETE%20REPORT.FINAL.PT1.pdf](https://www.parliament.wa.gov.au/Parliament/commit.nsf/(Report+Lookup+by+Com+ID)/28F900665F5C386048257831003E970C/$file/COMPLETE%20REPORT.FINAL.PT1.pdf)
 22. O'Riordain, Aoife (22 February 2014). "Travellers Guide: The Golden Triangle". *The Independent*. Retrieved 4 Feb 2020.
 23. Lintner, Bertil (1992). *Heroin and Highland Insurgency in the Golden Triangle. War on Drugs: Studies in the failure of US narcotic policy*. Boulder, Colorado: Westview. p. 288
 24. Jones MR, Viswanath O, Peck J, Kaye AD, Gill JS, Simopoulos TT. A Brief History of the Opioid Epidemic and Strategies for Pain Medicine. *Pain Ther*. 2018;7(1):13-21. doi:10.1007/s40122-018-0097-6
 25. Sen, S. (1992). Heroin Trafficking in the Golden Crescent. *The Police Journal*, 65(3), 251-256. <https://doi.org/10.1177/0032258X9206500310>
 26. Chemical releases associated with floods - World Health Organisation <https://apps.who.int/iris/bitstream/handle/10665/272392/WHO-CED-PHE-EPE-18.02-eng.pdf>
 27. Waite T, Murray V, Baker D. Carbon monoxide poisoning and flooding: changes in risk before, during and after flooding require appropriate public health interventions. *PLoS Currents Disasters*. 2014 July 3; Edition 1.
 28. Verma, Vivekanshu. Utilizing Toxidromal Approach in Managing Series of Botanically Related Medicolegal Emergencies. *J Forensic Chemistry Toxicol*. 2019;5(2):143-148.
 29. Clarissa R. Anderson et al. Scaling Up From Regional Case Studies to a Global Harmful Algal Bloom Observing System. *Front. Mar. Sci.*, 22 May 2019 | <https://doi.org/10.3389/fmars.2019.00250>
 30. Anand R, Anand R, Verma A, Jagmohan P. Gas geyser - a preventable cause of carbon monoxide poisoning. *Indian Journal of Radiology*. Year : 2006 | Volume : 16 | Issue : 1 | Page : 95-96
 31. RahatBrar, Abhishek Prasad, Shaleen Rana. Demystifying the fog - CT and MRI confirming the diagnosis of carbon monoxide poisoning by gas geysers. *Journal of Forensic Radiology and Imaging*. 2014; 2(2): 60

Red Flower Publication Pvt. Ltd.

CAPTURE YOUR MARKET

For advertising in this journal

Please contact:

International print and online display advertising sales

Advertisement Manager

Phone: 91-11-22756995, 22754205, 79695648, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Recruitment and Classified Advertising

Advertisement Manager

Phone: 91-11-22756995, 22754205, 79695648, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Significance of Treatment Consent, Pre Interaction work up and Clinical Documentation During COVID-19 in Dental Clinics

Abhimanyu Sharma¹, Sunil Chaudhary², Ishaan Chawla³, Shrish Gautam⁴, Jyoti Ahlawat⁵

¹Senior Research Associate, Department of Oral and Maxillofacial Surgery, ESIC Dental College and Hospital, New Delhi,

²Associate Professor, Department of Oral Medicine, ESIC Dental College, New Delhi, ³Advocate, Delhi High Court, New Delhi,

⁴LLB Resident, Institute University, Bhopal, ⁵Consultant Endodontist, New Delhi.

How to cite this article:

Abhimanyu Sharma, Sunil Chaudhary, Ishaan Chawla et al, Significance of Treatment Consent, Pre Interaction work up and Clinical Documentation During COVID-19 in Dental Clinics. Indian Journal of Legal Medicine. 2020;2(1): 23-26.

Abstract

Consent from the patient is a very pertinent part of clinical case taking. It is in the patient's right to know about the treating doctor, facilities in the clinic and the treatment procedure that is to be performed. Informed consent between the doctor and the patient should be mutual and explained to the patient in his own language or a language he understands. Consent is a very important aspect of maintaining medico legal records along with treatment notes, radiographs, clinical pictures and prescription record of the medicines prescribed. Medico-legal incidents around the globe have become increasingly common. Informed consent and maintenance of clear records will unequivocally benefit both the doctor and the patient.

The COVID-19 has posed a threat to countries globally and governments and health authorities all over the globe have issued stringent guidelines regarding treatment modalities of varying medical conditions, judicious selection of cases according to priority as well as the added responsibility of the health worker to inform the authorities about any probable or confirmed COVID case. This in turn will help contain the cases within a restricted area. Authors believe that an exclusive COVID-19 consent form is the need of the hour along with routine consent for a prevention of negligence and prevention of medico-legal infringement of laws.

Keywords: COVID-19; Medico-legal; Consent; Negligence; Medical Records.

Introduction

It will be a matter of surprise if there is any health care agency in our nation, which is operational without practising the philosophy of Informed Consent and Proper Documentation of details of Patients and their treatment.

Both Consent forms as well as Case documentation serve multiple purposes, such as, legal protection for both patient and doctor in criminal or malpractice case. Consent is not simply a form, it an assurance that ethical practice is being followed. Also, if consent is not given willingly or is refused, then fraud or deception can be suspected and noted.

Informed consent has been called a "fallacy of law" since it is impossible for a patient to understand the risks and benefits of a procedure from the standpoint of an expert.¹ However, it is an extremely advantageous process, from a therapeutic or communication standpoint, since it helps the patient understand why a procedure is necessary. Understanding will increase patient compliance or consequence.

It is very important for the treating doctor to properly document the management of a patient under his care. Medical record keeping has evolved into a science in itself. These documents in today's times are vital evidence for a doctor to prove that correct advice was given, the consequences of the treatment was in the knowledge of the patient and/or the treatment was carried out properly in cases of alleged negligence by doctors, which if proven guilty, leads to suspension of medical license.

Therefore, keeping physical or electronic records of the patients not only protects the doctors and their

Corresponding Author: Abhimanyu Sharma, Senior Research Associate Oral and Maxillofacial Surgery ESIC Dental College, Rohini, New Delhi .

E-mail: asmaxfac@gmail.com

reputation but also helps the patient in being more aware of their medical history. Moreover, it will also be of immense help in the scientific evaluation and review of patient management issues.

Medical records form an important part of the management of a patient, a properly obtained consent will go a long way in proving that the procedures were conducted with the concurrence of the patient. A doctor is the primary person who has to oversee this process and is primarily responsible for history, physical examination, treatment plans, operative records, consent forms, medications used, referral papers, discharge records, and medical certificates.

Keeping the aforementioned in view, the purpose of this paper is to explain and analyse the importance of consent and medical records with respect to COVID-19. The term "COVID-19" has become popular in the current scenario as the entire globe is struggling and putting up a fight against the pandemic to the best of their capacity.

COVID-19, as it is popularly known, is basically a contagious viral infection with mild to severe symptoms and clinical conditions such as fever, cough, respiratory distress and possible death. As per the existing knowledge, the virus spreads through droplet infection, which means that if a person infected with this virus sneezes, coughs or touches his face (specifically mouth or nose) and later comes into contact with tangible areas that are accessible by others, he ends up leaving traces of the virus which is when touched by others raises a possibility of spreading the infection.

Reportedly, the infection originated in the Wuhan Province of China, in the last Quarter of 2019 with its international presence being detected in a few countries by mid-January, 2020 post the celebration of Chinese Lunar New Year. By mid-March, almost 180 countries were affected.

It is important to note that as this is a rapidly spreading contagious viral infection, those countries that underestimated its consequences faced COVID related mortality in millions and deaths in thousands. It was only after the 11th of March, 2020 when WHO declared COVID-19 as a Pandemic (a disease which has spread across all geographic areas of the world) nations started becoming more vigilant about taking steps to control the spread of infection.

In India, a process called "Lockdown" was introduced from 23rd March 2020 onwards like many other nations doing the same before or after this date. A lockdown means a condition in which

the citizens are requested to stay indoors, all modes of transportation cease to operate, all forms of public gathering for professional purposes (courts, offices, factories etc.) and personal gatherings (Marriage functions, funeral, rallies etc.) are put to hold. Only essential services such as Health Services, Defence, Police and Dairy and Food supplies are allowed to function. The aim behind doing so is to minimise inter personal contact at all levels, in order to reduce cross transmission of the virus leading to overall reduction of number of cases and to save healthcare services from being over burdened by the same.

After lockdown, one of the possible places for cross contamination are healthcare setups, specifically dental clinics, where there is abundant personal contact with the patient is if any treatment is needed.

To illustrate the seriousness of the situation, in case where a patient who is infected by COVID-19 but is yet to develop signs and symptoms happens to visit any healthcare facility may infect the doctor and supporting staff of the clinic by coming in their close proximity. The health care team which might get infected by this will happen to examine and help many other patients which may get contaminated and thus, it raises the possibility of further contamination of family members that may include minors and senior citizens who are more vulnerable and susceptible to catch the disease due to compromised or weak immune status.

In times when almost all services have ceased to be operational at full capacity with limited and only essential activities, health care centres can act as a gate way for cross contamination of this pandemic and arguably the onus of the same would lie with the doctor in-charge of that centre.

As we have already discussed the importance of Consent and Medical records, we would like to further highlight the significance and importance of exclusive COVID-19 form for Health care setups to be practiced before initiating any treatment of the patient with a purpose to withhold the spread of infection.

Elucidation:

In the wake of the prevailing COVID-19 situation and in order to strengthen the containment measures, it is of utmost importance that each and every case (suspects/confirmed) of COVID-19 is isolated and provided appropriate treatment and their contacts are traced at the earliest to break the

chain of transmission.

As per Government of India directives, it shall be mandatory for all hospitals both Government and Private (including private practitioners) to notify suspected COVID-19 affected persons to concerned district surveillance unit. All practitioners shall also get the self-declaration forms, who, within their knowledge, are having travel history of COVID-19 affected countries as per the extant guidelines and are falling under the case definition of COVID-19 (Suspect/Case) In case the person has any such history in the last 14 days and is symptomatic as per case the definition of COVID-19, the person must be isolated in the hospital and will be tested for COVID-19 as per protocol.

Information of all such cases should be given to the State helpline number and also to national helpline 1075 or to intimate by email at ncov2019@gov.in.

The Government has defined COVID-19 case as a patient with acute respiratory illness (fever and at least one sign/ symptom of respiratory disease (e.g., cough, shortness of breath) and a history of travel to of residence in a country/area or territory reporting local transmission as well as A patient with severe acute respiratory infection (fever and at least one sign/symptom of respiratory disease (e.g., cough, shortness breath) requiring hospitalisation and with no other aetiology that fully explains the clinical presentation.

Though with general consensus, directives of governing bodies and regulations of Govt of India, currently almost all dental clinics are either non-functional and dealing with patients on telephonic consultation to prescribe the needful medication through social media such as video calling, WhatsApp messenger or routine call. We would like to propose that for the purpose of records and documentation for future reference and medico-legal consideration, it is better if the Dentist can request for a written description of complaint through text along with best possible photograph from patient before concluding to a provisional diagnosis and prescribing medication.

In case of dental emergencies, the Dentists may have to address the patient clinically and in our understanding, sooner or later, dental clinics around the nation will start functioning as per the pre-COVID-19 routine.

If epidemiologists and experts are to believe this virus is here to stay for a long time thus keeping all the possibilities of spread awake irrespective of Restrictions on Transportations or Services thus

the probability of possible COVID infected patients will remain alive.

Studies have shown that Dentists are among the most vulnerable professionals to get infected. This is because the virus tends to travel with aerosols from Naso-Oro-Pharyngeal Space through coughing, sneezing, spitting, or even breathing in case of high viral load; and almost all the clinical procedures in dentistry involves production of a high amount of aerosols. These aerosols may directly infect the dentist and supporting staff or may contaminate the interiors of dental clinic which ultimately will infect anyone who happens to visit the premises.

Any person may carry many morbidities at a point of time. for example a patient who is diabetic, can also be a heart patient, a patient of hypertension or cataract at the same time; likewise any patient who is visiting a dental clinic for any emergency procedure now or for an elective procedure once health services become fully operational, may happen to be a patient of COVID-19, a person with only initial symptoms of COVID-19 or may share proximity or relation with any demographic which can be a possible source of Virus which may raise a suspicion or maybe an asymptomatic carrier or the virus.

The team of authors after going through literature and discussion from the point of both medical and legal aspects suggests that it is crucial to introduce an exclusive COVID-19 Information cum Consent form in clinical practice where the ultimate onus lies on the clinician to keep detailed information. Dental clinics are vulnerable spots for transmission of the pandemic infection as they act as a bridge between an already infected patient and another patient who knowingly or unknowingly may get infected.

Routine consent form usually mentions the diagnosis, treatment plan, complications if any, along with treatment charges. This comes into picture once the consultation has been done by the doctor and the patient decides to go ahead with the needful treatment.

In our opinion, a COVID-19 Information and Consent form should be introduced in the clinic which should be given to the patient before starting of any sort of clinical interaction in person, even if it involves discussion of complaint on dental chair or entering the operatory.

The purpose of this form will be to look for any COVID-19 related sign or symptom which may or may not be present at the moment but can possibly occur in the future. It also checks if the patient

can be a possible carrier and at the same time to assure him that the doctors and their supporting staff are taking all due care and precautions while treating each and every patient and thus cannot be held liable later if an allegedly non-infected patient claims to have caught the infection from the dental clinic. Through this consent form, the patient will be legally bound to share all information, true to the best of his knowledge and hiding or misrepresenting any fact or intentionally giving false information can be an act of tort.

Depending upon the response, the dentist may decide to opt for a COVID-19 confirmation test prior to any dental treatment, or to keep the patient under observation for a couple of days for development of any sign or symptom of COVID-19 or may choose to inform the aforementioned authorities if deemed necessary.

Another significance of this Information cum consent form would be in case of detection of any COVID-19 positive case who happens to visit the clinic or turn out to be a patient infected with COVID19 within 14 days from visiting the dental clinic. The clinician may get himself and the supporting staff tested for the same. The clinician should also contact all other patients who visited the clinic around that time and request them to self-quarantine and check for any symptoms and visit a physician, if necessary. The dentist may also have to reproduce the entire data and details of patients being treated during that time frame to government officials to enable them to act, restrict and deal with possible cases.

The Authors are emphasising on noting and duly checking any Govt approved ID in the consent form as the possibility of people forging the form and details cannot be ruled out directly.

Having thorough details of all the patients will be great help to the Govt Officials and police to track down the source and act accordingly.

Discussion

India is a nation with population over 1.2 billion. We have people with all sorts of mind set and nature, and we believe that by introduction of this form we may not be able to directly control the disease but definitely stop the notorious and anti social mindset and would be playing our role in the prevention and restriction of spreading the disease by maintaining record of all patients addressed or treated on agreement of giving consent to this form.

It is essential for all dental clinics to strictly

restrict to only emergency procedures, that too with use of proper PPE kit, sanitisation of clinic premises and autoclaving of all instruments.

We also advise all dental clinics to introduce a few norms such as one patient at a time, appropriate time gap between two patients, appointment so as to change the PPE and sanitisation of clinic premises, guidelines outside the clinic door so as to minimise hand to surface contact, etc.

Clinics should provide sanitisers and single use pens to be used for signature of consent to prevent patient to patient indirect surface contact. An Infrared thermometer and pulse oximeter would be a much appreciated step. Apart from this, an important task would be strict and proper disposal of bio medical waste and keeping record of the same. In case of any incidence of COVID-19 case detected in any one who works in the clinic or has been to the clinic, the doctor should inform the bio medical waste disposal vendor. As per the guidelines of Medical Council of India, all medical records should be maintained for a period of three years.

Conclusion

As a first line of protection against COVID-19 infection, pre-operative screening can be carried out relatively safely in the waiting areas of dental offices, thus filtering out the potential of cross infection to dental staff and other patients as well as their families from suspected or undiagnosed COVID-19 patients or carriers. Additionally, obtaining such detailed informed consent form exclusively for COVID-19 guidelines related information also addresses the medico legal aspects of dental interventions to safeguard the dental clinicians against misconduct or misrepresentation of information from the patients and the government health care system's concern in potentially identifying or isolating COVID-19 susceptible cluster areas in a population.

References

1. Joseph Thomas, Medical records and issues in negligence, Indian J Urol. 2009 Jul-Sep; 25(3): 384-388.
2. Bello Tukur Esq, C A Nkanta. Medico-Legal Issues in Clinical Practice: An Overview. Dala journal of orthopaedics (DJO) 2017 1(1): 89-98
3. Sheikh, Asim. (2018). "Medico-legal issues in consent and medical practice": Challenge Medical Indemnity, Newsletter, Issue 5, January

Bite Mark, a Pivotal Tool in Crime Investigation: A Review

Anandita Kale¹, Namratha Patil²

¹BDS Student, K.I.E. Vishwanath Katti Institute Of Dental Sciences, Kaher Belgaum, Karnataka, MDS- Lecturer, Department Of Oral Medicine And Radiology Vishwanath Katti Institute Of Dental Sciences

How to cite this article:

Anandita Kale, Namratha Patil, Bite Mark, a Pivotal Tool in Crime Investigation: A Review. Indian Journal of Legal Medicine. 2020;2(1):27-31.

Abstract

Objectives: Forensic odontology believes that no two oral cavities are similar in characteristics. Bite marks are imprint of the dentition of a human or an animal on a pliable medium. Analysis of these help in narrowing down the list of suspects. *Sources from which data was obtained:* Various news reports and criminal journals (both containing cases from within the country as well as worldwide) *Study Selection:* There are many factors and grades that are used to evaluate the authenticity of a bite mark. Various methods of documentation and evaluation are used to produce a scientific testimony in the criminal investigations. *Conclusion:* Some experts believe that bite marks are only beneficial to eliminate suspects and cannot be relied as concrete evidence due to distortion caused by human skin and the subjective judgement with which it is evaluated.

Keywords: Bite marks, Criminal Investigation, Forensic Odontology, American Board of Forensic Odontology (ABFO)

Introduction

*"Science gave us forensics. Law gave us crime"-
Mokokoma Mokhonoana¹*

A crime scene is a location where a crime took place and forensic evidence can be collected. Evidence collected can include fingerprints, footprints, blood and other fluids, any other DNA material such as hair so that they can be analysed in a lab and be

used in court proceedings of the investigation. One such evidence is Bite Marks.

According to American Board of Forensic Odontology (ABFO), "Bite marks may be outlined as a physical alteration or representative pattern recorded in a medium caused by the contact of the teeth of a human or animal".² It is basically a representative of the morphology of teeth of a human/animal on an impression bearing surface such as the human body neck, thighs, breasts, (gluteus region, genitals, face, lips) as seen in sexual assault cases, child abduction, child abuse and homicide cases³ or can be found on chewing gums, impression materials, stationary items such as pencils, cigarettes and food items such as fruits, cheeses etc.⁴ Though there are some limitations, Bite marks are still used as a forensic tool to slim down the inventory of suspects by comparing them to dental casts made of the suspects/offenders teeth impression so that it can be proved that a particular individual or a set of individuals have caused the crime or at least are involved in some part of it.

The review paper describes the classification, characteristics, mechanism, appearance, and collection of bite marks as well as their role in major crimes committed across the globe, along with recent advancement and whether they are universally accepted as clues during criminal trials.

Classification of Bite Marks

They can also be categorised on the premise of appearance (general classification):⁵

1. Artefact-piece of flesh completely bitten off or removed from body.

Corresponding Author: Anandita Kale, BDS Student, K.I.E. V.K. Institute Of Dental Sciences, Kaher Belgaum, Karnataka,

E-mail: kaleanandita96@gmail.com

2. Abrasion-undamaging mark on skin /bruise with no damage to skin
3. Avulsion-removal of skin
4. Contusion-broken blood vessels
5. Hemorrhage-a small bleeding spot
6. Incision-neat puncture of skin
7. Laceration-torn portion of skin

They are also categorised according to pressure (Mc Donald's classification):⁶

- Tooth Pressure Marks- made by incisal edge of anterior teeth; stable and are minimally distorted
- Tongue Pressure Marks-impressions of palatal surfaces or cingulae of teeth and palatal rugae; can cause maximum distortion
- Tooth Scrape Marks-irregularities of teeth caused due to fracture, restorations
- Complex marks- combination of above

They are sorted according to practical application as given by ABFO:⁷

- *Class I*- diffused bite marks; lacks individual characteristics e.g.-bruise, faint bite mark
- *Class II*- single arch bite or partial bite mark; has some individual and class characteristics
- *Class III*- has both individual and class characteristics; used in evidence and for comparison in criminal cases
- *Class IV*- avulsion or laceration of tissues caused by bite

Characteristics of Bite Marks

They can be characterized in two forms:

Class Characteristics- According to ABFO⁷, a class characteristic is an outline that differentiates a bite mark from other wounds or injuries. They determine what group the bite mark belongs and if it is caused by maxillary teeth or mandibular teeth. A few characteristics are:⁸

- Distance from one cuspid to another
- Shape and thickness of the oral arch
- Proof of a tooth out of position
- Curves of biting surface and the structure of incisal and occlusal edges
- Unique dentistry such as restorations, missing, fractured or malformed teeth

- Wear outlines such as erosion or grinding
- Labiolingual and rotational position
- Rotational position

They help in narrowing down the age, gender and other information of the suspect.

Individual Characteristics- These are distinct identifications present in the class characteristics which can be a trait or a pattern that represents an individual deviation instead of an anticipated finding such as⁷:

- Rotation of teeth
- Mesial or distal shifting of teeth
- Number, size and placement of teeth
- Occlusion
- TMJ abnormalities

Mechanism affecting Bite Marks:

Three mechanisms related with fabrication of bite marks are⁹;

Tooth pressure marks

Direct pressure of incisal edges of anterior teeth/ occlusal edges of posterior teeth. Severity of bite mark is related to duration, degree of force applied and degree of movement between tooth and tissue.

Tongue pressure

Material taken into mouth is pressed by tongue against teeth/ palatal rugae and unique marks are there due to tongue sucking/ thrusting.

Tooth Scrape:

Teeth scraping against tooth surface involving the anterior teeth.

Appearance of Bite Marks:

Human bite marks are semicircular caused by the front teeth (incisors and canines), with a gap at either side due to the separation of upper or lower jaw.¹⁰ The teeth make comprehensible, separate marks or make a continuous or irregularly broken line.

The skin conditions, anatomical spot of the bite, age of the victim and weight are responsible for the distortion made by bite marks. Increased bruising is seen in children, females and geriatric people.¹⁰

Collection of Evidence

From the victim:

- The photographs which are clicked in high resolution and color balance (to minimize the chances of distortion) and imaged should be of sufficient resolution so that they can be enlarged without distortion.¹⁶
- Images are presented in front of criminal court justices and investigators as they show the characteristics of the bite marks and the position of the body on which it was recorded.
- Impressions should be taken of the surface which contain 3D imprint of the bite mark. These can be scanned and digitalized by newer computer software¹⁰.
- Trace evidence in the form of DNA is obtained from saliva. Tooth particles can also be used to collect DNA and identify the blood group of the suspect.

From the Suspect:

After obtaining consent from the suspect, their test bites are photographed for legal purposes.

- Photograph should include extroral features (full face, right and left full profiles), intraoral features (taken with mirrors and retractors-anterior, posterior and occlusal view along with shape and size of tongue).¹⁶
- Examination is done of the hard and soft tissues, TMJ, facial symmetry, occlusal harmony, maximum opening of jaw, jaw deviations while opening and closing of mouth, visible scars, salivary evidence intraoral, number and shape of teeth present, size and shape of tongue, condition of peridontium and any other features that stand out in the oral cavity.⁷
- Impressions of both arches are made using ADA specified material. Duplicate casts are made from original/master cast.

Analysis of Bite Marks

Odontologists should have a comprehensive knowledge of dental and facial structure, interpretation of bite mark patterns and understanding different treatment modalities.⁷

Interpretation of Pattern-

This includes summarizing and comparing class and individual characteristics manually or through computer assisted software to identify any abnormalities or unique dentition that can help identify the culprit.

New advances to help in Bite Mark comparison:

- Overlays (hollow volume, solid volume, semi transparent and/or computer generated-2D/3D scans) and images should be used.¹⁵
- Test bites of the suspect made on ADA approved dental material, human skin or other mediums using dental casts are used to make over lays.
- Stereomicroscopy and manual or computer generated analysis using software is used.¹⁵
- Xeroradiography and enhanced contrast radiography is used to understand the depth of the injury.¹⁵
- Electron microscope investigation is used to analyze surface details of the mark.¹⁵

Limitations of Bite Marks:

Using Bite marks as forensic evidence is slowly getting abolished as some argue that the precision of a bite mark cannot be maintained due to change in time and temperature and irregularities of the skin. Dentition can change due to diseases, restoration, fractures or any prosthodontic or orthodontic surgical/nonsurgical intervention. The uniqueness of an individual bite mark is assumed but is not recognized.¹⁸

Specialists claim that out of 32 teeth, only the anterior teeth are recorded in a bite mark and are heavily dependant in the following factors:

Factors that affect bite marks:

- Time at which the bite was inflicted
- Part of the body where the bite was inflicted
- Position of the part of the body that was bitten during the time of the assault
- If the bite was inflicted through clothing. If yes then the clothing is sent for examination for DNA traces through saliva
- If the bite mark and/or injury has been treated with water and medicaments
- If the victim has any pre existing conditions (such as blood disorders) that can alter the morphology of the bite mark
- Factors of location of bite mark such as- adipose deposit. Underlying tissue, area and thickness of skin, any rupture of blood vessels
- Pressure with which the bite was inflicted
- Type of bite inflicted

-The assaulter's oral hygiene and state of occlusion
 - Whether the victim was alive when the bite was inflicted. In living beings, healing changes the form of a bite mark over time. Postmortem bites do not show erythema and contusions present in ante mortem marks.

- The temperature at which the bite was inflicted and the change in temperature between its infliction and its record.

-The time delayed after the infliction of the bite mark

The method of bite analysis uses the superimposition of the accuser's dentition to the bite mark so that sufficient comparisons can be taken between the two (taking in considerations of distortion). But this is highly subjective judgment which is dependent on the experience of the examiner and the different methods they choose to evaluate the clues using ABFO guidelines present.

A positive identification of the suspect is usually controversial as it is made without a standard set of conformity and the chance of high distortion at all stages of collection and analysis and falls within the region of opinion evidence.¹⁷

Bite marks have been used as a forensic tool to solve criminal cases since ages. Some of the cases published in literature have been discussed below;

Case 1-Public prosecutor (Norway) v Torgersen (1958)¹¹

Rigmor Johnsen was found dead bearing signs of sexual assault and was considered a murdered. Professor Ferdinand Strom documented a bite mark on her breast and preserved the tissue sample and testified that Torgersen caused it. In 2001, Dr. David Senn re-examined the preserved breast tissue and he saved it with digital and micro photography and after independent and blindsided second opinions, he concluded that Torgersen should be barred as the biter.

Case 2- Crown (Scotland) v Hay(1967)¹¹

Linda Peacock (15 years) was found strangled with a bite mark blueprint on her breast. Dr. Warren Harvey questioned 29 suspects out of which five boys were elected for further investigations. Gordon Hay was convicted as the bite mark features matched with the pits present at the tips of his canines.

Case 3-California v Marx (1975)¹¹

Lovey Benovsky, found sexually assaulted and strangled with a bite mark on her nose. Three odontologists exhumed her body and took pictures and made a three dimensional model of the bite mark which was used to convict Walter Marx.

Case 4- Florida v Bundy (1979)¹¹

One of Ted Bundy's victims had a double bite mark pattern on her gluteus region. Dr. Richard Souviron evaluated the bite marks and testified that Bundy's occlusion aligns perfectly with the picture of the bite mark present on the victim. They pointed out the individual characteristics of bite which were chipped and misaligned teeth and four distinct rows teeth.

Case 5- Florida v Stewart (1979)¹¹

Margaret Hazlip was murdered and sexually assaulted with a bite mark pattern on her hip. The bite mark featured a gap between the two upper incisors. The profile of the assaulter was made using a partially eaten bologna found at the crime scene. These were later used to convict Roy Allen Stewart who was executed for his crime.

Case 6 - Wisconsin v Robert Lee Stinson (1986)¹¹

Ione Cychosz (63 years) was found dead with bite mark evidence which odontologists evaluated and found several individual patterned injuries which was used to convict Robert Lee Stinson. In 2005, the Innocence Project asked four odontologists to review the case who evaluated DNA evidence which later concluded that it matched another man.

Case 7- New York v Roy Brown (1992)¹¹

A social worker was found beaten, stabbed and strangled with 7 bite marks. Roy Brown was accused of the crime but the defense argued that six out of seven were deficient and the seventh barred Brown. DNA results at that time were open to doubt. Additional saliva samples were taken from victim's clothing that exonerated him and was matched to another suspect.

Case 8-Mississippi v Brewer (1992)¹¹

Kennedy Brewer was found guilty with the murder of his girlfriend's three year old child. Medical examiner who performed the autopsy that several marks were present on the body which he believed were bite marks and concluded that they were caused by Brewer's top incisors and that the

mandibular teeth made no impression. Dr. Richard Souviron, testified that the marks were not human bitemarks at all but were insect made.

Case 9-Mukesh and another v State (NCT of Delhi) and other/Nirbhaya case (2012)¹²

The Delhi rape case concerned fatal sexual assault. There were six accused arrested with respect to the crime. The forensic odontology dept of SDM Dental College, Dharwad had bite marks taken from the victim and compared with the dental models of the suspect to tie them to the crime.

Case 10- Ayesha Miran Case (2007)¹²

19 year old, Ayesha Miran, was found murdered in Vijaywada. Autopsy revealed sexual assault with stab wounds, scratches and bite marks. DNA samples were pulled from semen traces found in the body.

Case 11-Perumbavoor case (2016)¹³

Rape and murder of a dalit woman had the evidence of two bite marks present on the left shoulder of the victim. The individual trait of the bite mark was a gap of three millimeters present between two teeth in the front rows, which the forensic expert claimed is indigenous to populations in Kerala.

Case 12- Powai Rape Case (2014)¹⁴

A female forensic odontologist (Dr. Hemalata Pandey) from KEM Hospital helped solve a rape case by matching bite marks present on the survivor's body after she was unable to recollect the details of her rape. Within 24 hours after the case was reported, impression and analysis of the bite marks was done.

Conclusion

Evaluation of a bite mark helps the judiciary to understand the relations between the suspect(s) and the victim(s). Shape, size and the individuality of the mark helps in making a profile of the bite and helps narrowing down the list of suspects by the process of elimination. Although it plays an important role in crime investigations, there is no standard set of rules and conformity to follow and is ambiguous as it is based on subjective judgment and opinion evidence. Slowly but surely, using latest technological advancements and by using DNA traces, this study is becoming less art and more scientific and precise as it expands further in the developing world of forensic odontology.

References

1. Mokokoma Mokhonoana, N for Nigger: Aphorisms for Grown Children and Childish Grownups, Goodreads, (Jan 14 2019).
2. American Board of Forensic Odontology (ABFO), Standards and Guidelines for Evaluating Bitemarks, (March 16 2016)
3. LJ Levine, Outline of Forensic Dentistry, Chicago Year Book Medical, pp 112-127, (1982).
4. Dr. Gaurav Sharma et al, Bite Mark Analysis - An Important Tool in Crime Investigation, 28 JIAFM 69, pp-69-71, (2006).
5. FD Wright, JC Dailey, Human bite marks in forensic dentistry, 45 Dent Clin North Am 365, pp-365-97 (2001)
6. DG MacDonald, Bite mark recognition and interpretation, 14 J. Foren. Sci. Soc 229, pp-229-233, (1974)
7. ABFO, American Board of Forensic Odontology, Diplomates Reference Manual, (June-2010)
8. Kapil Verma et al, Bite Marks as Physical Evidence from the Crime Scene-An Overview, 4 Journal of Bacteriology and Parasitology 181, (2012)
9. GL Vale, Dentistry, bite marks and investigation of crime, 25 Journal of California Dental Association 29, pp 29-34, (1996)
10. Sandeep Kaur et al, Analysis and Identification of Bite Marks in Forensic Casework, 12 Oral Health and Dental Management 127, pp 127-131, (2013)
11. Dr Chidambaram Ramasamy, A Select List of International Cases Involving Forensic Odontology (49-2013 AD), Dental History Magazine Glasgow University, (2014)
12. Wikipedia, Forensic Dentistry, n.d.
13. Staff reporter, Jisha rape and murder case: Scientific evidence crucial for cops, Deccan Chronicle, (Jun 17 2016)
14. Lata Misra, Man given life for rape and murder based on bite marks on victim, Mumbai Mirror, (march 12 2015)
15. T. Shamim et al, Human Bite Marks : The Tool Marks of the Oral Cavity, JIAFM 52, pp 52-54, (2006)
16. RD Rawson et al, Analysis of Photographic Distortion in Bite Marks: A Report of the Bite Mark Guidelines Committee, Journal of Forensic Sciences, (1986)
17. B Kavitha et al; Limitations of Forensic Odontology, 1 Journal of Forensic Dental Sciences 8, pp 8-10, (2009)
18. Justin J McShane, Limitations of Forensic Odontology, The Truth About Forensic Science, (2011) h

Red Flower Publication Pvt. Ltd.

CAPTURE YOUR MARKET

For advertising in this journal

Please contact:

International print and online display advertising sales

Advertisement Manager

Phone: 91-11-22756995, 22754205, 79695648, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Recruitment and Classified Advertising

Advertisement Manager

Phone: 91-11-22756995, 22754205, 79695648, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Industrial Accidents- Medicolegal Issues Reviewed

Vivekanshu Verma¹, Santosh kumar Verma²

¹Associate Consultant, Department in Forensic Medicine and Toxicology, Emergency and Trauma care, Medanta-The Medicity, Gurugram, NCR, ²Senior Advocate, Department of Law, Rajasthan High Court, Jaipur

How to cite this article:

Vivekanshu Verma, Santosh Kumar Verma. Industrial Accidents: Medicolegal Issues Reviewed. Indian Journal of Legal Medicine. 2020;2(1):33-41

Abstract:

Mapping Industrial Disasters, & relevant laws, based on the past incidences becomes relevant. The goal of the initiative is to prioritize prevention for further in-depth legal investigation & evaluation. We have mapped these to identify their pattern of man-made disaster in the environment, in their region of production, casualty and sickness, and further prevention of such as disaster-associated morbidity & mortality in community, leading to mass casualties, since the time immemorial. The legal know-how of regulations can aid the healthcare providers, in proper medicolegal documentation, in best interests of the victims.

Keywords: Industrial Disaster; Accidents; Sabotage; Arson; Laws, Regulations.

Introduction

Medicolegal investigation has been performed for centuries in all societies, although not always by medical professionals.

Industrial accident means an event resulting from the uncontrolled development in the course of any activity involving hazardous substances either in an installation, for example during the manufacture, use, storage, handling, or disposal; or during transportation.¹

The term accident for the purpose of the law relating to compensation for the personal injuries sustained

by the workmen & the employer liability in that behalf includes any injury which is not designed by the workmen himself, and it is of no consequence that the injury was designed and intended by the person inflicting the same.²

All I's for Easy Recall Identify & investigate an I-Industrial Accident

How to I-#Identify common toxic xenobiotics

How to I-#Investigate a case of Disaster

How to I-#Interpret the findings in scene of accident

How to I-#Interrogate the victim/ accused of accident

How to I-#Initiate the criminal proceeding

How to I-#Intervene the dying victim by first aid as scene of crime

How not to I-#Incite" Nor "I-#Instigate" unnecessarily at scene of accident

Discussion

Mass casualties in industrial accidents can be due to building collapse, fire, chemical burns, electrical sparking, electrocution, explosion, earthquake, leakage of toxic gas, toxic spill.

- Interrogation / Interview Techniques
- Medical Forensics
- Equipment Failure Analysis
- Chemical & Toxic Investigations
- Blast & Explosive Investigations

A good investigator collects evidence, analyzes them, finds the root causes and the relations among

Corresponding Author: Vivekanshu Verma, Associate Consultant, Department of Forensic Medicine and Toxicology, Emergency and Trauma Care, Medanta - The Medicity, Gurugram.

E-mail: vivekanshu@yahoo.co.in

these causes that lead to the accident and provides suggestions about corrective actions to avoid the reoccurrence of the undesired event.

Science of Investigation

- Evolution of Forensic Science
- Principles of Forensic Science in Investigating Industrial Accident
- Theories on Causes of Accidents (with examples & case studies)
- Swiss Cheese, Heinrich and other models
- Root Cause Analysis
- Fishbone Analysis and other tools
- Importance of Reconstruction of Accident
- Recommending Corrective Measures

How to Investigate Industrial Accident

- Evaluate internal and investigation reports, witness statements, documentation and photographs;
- Conduct site inspection and evaluation;
- Collection of physical evidence;
- Examine damaged materials, transferred evidence, conduct chemical analysis to identify chemicals, perform simulation experiments to investigate the reactions and compatibility of chemicals;
- Evaluate industrial processes, work practices, systemic vulnerabilities, and review safety protocols and compliance of practices with best practice;
- Determine the mechanism and function of equipment, as well as the properties of materials; and
- Reconstructing the sequence of events and the possible actions of persons involved in the incident.

How to take History in Industrial Disaster? All K's for easy recall

- K- Kya Hua (Accident/ Arson/ sabotage)
- K- kab Hua (Day, Date, Time of the incidence)
- K- Kaunhai victim (Name, age, gender)
- K- Kahan (place)
- K- Kitne persons (mass Casualty)
- How to take History in Toxic Disaster
- K- Kya khaya (than call Poison control centre)
- K- KitnaKhaya (fatal dose)

- K- KabKhaya (fatal period)
- K- Kesekhaya = ingestion/ inhalation/ injection
- K- Kyunkhaya (Intention-accidental / homicidal/ suicidal reattempt)

The police may book company's Chairman, Director, Plant Manager, Operator and Supervisor) in the FIR under various IPC sections for any industrial disaster:

- 304 (Punishment for culpable homicide not amounting to murder),
- 338 (Causing grievous hurt by act endangering life or personal safety of others),
- 337 (Causing hurt by act endangering life or personal safety of others) and
- 114 (Abettor present when offence is committed).

Medicolegal Reports (MLR) are documents prepared by RMP's government & private doctors, pertaining to injury, sexual offence, suspected poisoning or unexplained death in industrial workers. It contains all the facts, observed by the doctor & his opinion drawn therefrom. Doctor's opinion must be based upon the clinical observations made by him, & not on hearsay evidence.

Examples of Medicolegal Case (MLC) for industrial injuries:-

- Injuries can be physical/chemical/ thermal/ electrical
- Fall from Height
- Crush injury of limbs caught in machine
- Mass food poisoning in eatables.
- Attempted suicide
- Brought Dead
- Alcohol Intoxication
- Chemical injuries, Burns and Scalds
- Venomous Animal Bites- snake, scorpion
- Drowning
- Electrocution

By our nature's gift of 5 senses on scene of accident:

- see 👁 (with safe distance),
- touch (texture, feel with safety),
- smell 👃 (with precautions),
- taste 👅 (not advised, better test it),
- hear 👂 the dying declaration, death rattle, sounds in dying 👁 victims

Whether act was Accidental or Intentional:

Arson as a crime can be defined as wilful and maliciously setting fire to a property to cause damage.

Section 435 of IPC states that "Whoever commits mischief by fire or any explosive substance intending to cause, or knowing it to be likely that he will thereby cause, damage to any property to the amount of one hundred rupees or upwards".³

If the injury or death from the point of view of the workmen who dies or suffers the injury, is unexpected or without design on his part, then the death or injury would be accident although it was brought about by a heart attack or some other cause to be found in the condition of the workmen himself.⁴

Criminal Intentions of the Industrial Accidents:

- False Insurance Claim for unlawful pecuniary gain.
- Destruction of evidence of crimes of fraud, theft or murder to look as accident.
- Pyromania – mental disease of fascination of igniting fire.
- Fire of revenge by an employee with grievance
- Illicit manufacture of illegal material- liquor, narcotics or banned drugs, smuggled goods.

The following acts and rules lay down requirements for emergency preparedness and payment of relief and compensation in India.

- The Factories Act, 1948, amended in 1976 and 1987.
- The Environment (Protection) Act, 1986.
- The Public Liability Insurance Act, 1991, amended in 1992.
- Fatal Accidents Act, 1887
- Workmen Compensation Act, 1923
- Bhopal Gas Leak Disaster (Processing of Claims) Act 1985
- Law of Tort
- Personal Injury law
- Arson Law

☐Golden Rule of Industrial Disaster Investigations

- Prioritizing your 5 Senses (☐, ☐, ☐, ☐, ☐)
- which to use best, and which to utilize least:-
- Use your eyes the most (observe more),

- hands the less (disturb and contaminate to lesser extent) and
- Mouth the least (first analyze the facts then opine,) and
- never disclose to media, always disclose to the legal authority with proper reasoning & scientific logic),
- never taste ☐the toxin to find what it is☐(as its shown wrongly in our movies & serials) Better get it tested in chemical laboratory (Test, not taste)

Heinrich theory for accident prevention:

The relationship was first proposed in 1931 by Herbert William Heinrich in his Industrial Accident Prevention: A Scientific Approach. Heinrich was a pioneer in the field of workplace health and safety. Heinrich's theory suggested that 88% of all accidents were caused by a human decision to carry out an unsafe act.

Accident causation: Swiss cheese model

The Swiss cheese model of accident causation is a model used in risk analysis and risk management, including aviation safety, engineering, healthcare, emergency service organizations, and as the principle behind layered security, as used in computer security and defense in depth.

It likens human systems to multiple slices of swiss cheese, stacked side by side, in which the risk of a threat becoming a reality is mitigated by the differing layers and types of defenses which are "layered" behind each other.

Therefore, in theory, lapses and weaknesses in one defense do not allow a risk to materialize, since other defenses also exist, to prevent a single point of failure.

It is sometimes called the "cumulative act effect".

In the Swiss cheese model, an organisation's defenses against failure are modeled as a series of barriers, represented as slices of cheese.

The holes in the slices represent weaknesses in individual parts of the system and are continually varying in size and position across the slices.

The system produces failures when a hole in each slice momentarily aligns, permitting "a trajectory of accident opportunity", so that a hazard passes through holes in all of the slices, leading to a failure.

A fire hazard is a situation in which there is a greater than normal risk of harm to people or

property Fire hazards are caused due to materials which catch fire easily and produce toxic fumes when heated or objects which block fire exits, such as blocked cooling vents, or overloaded electric systems and threat hazard to people. Fire due to equipment, LPG, oxy acetylene, oxygen, hydrogen and other inflammable cylinders' explosions. Burst of boilers or containers filled with molten metal. Fire can spread rapidly in insufficiently protected fuel stores or areas with high oxygen concentrations.

Food industry related toxicology

Adulteration with low-cost material, Contamination with infectious bacterial & algal toxins, carcinogenic chemicals for preservation & colouring agents, mass food poisoning: Mid-Day Meals

Mining industry related toxicology:

Occupational Hazards-Asbestosis, Silicosis, Restrictive lung disease, Lung Cancer. Metal fume fever- smelters

Energy industry related toxicology:

Lithium toxicity - Mobile Battery, Lead toxicity- Vehicle batteries, Radioactive metal exposure in thermal power plants- Chernobyl disaster.

The Chernobyl disaster occurred on April 1986 at V.I.Lenin nuclear power plant with four 1000 reactors constructed to a flawed design that was operated by poorly trained personnel.³¹ workers died due to radiation poisoning and 30 km evacuation zone created. People were exposed to 1000 times more than the normal radiation. The long term affects resulted in fatal accident.⁵

Manufacturing industry related toxicology:

Toxic Gas exposure- Methyl Isocyanate (MIC) - Bhopal Gas Tragedy in Pesticide manufacturing plants, Water pollution due to toxic chemical release in waste disposal, Cyanide gas in wool processing & plastic manufacture

Highlighted Points in Tyagarajan's Report on Bhopal Gas Tragedy for Legal Responsibility:

- There were cracks in the leaked tank and about 30% more of liquefied MIC than permitted was stored.
- Another tank was found with 35 ton of MIC with similar risk was neutralised deploying helicopter with water jets and area was covered

to arrest any leakage of gas or escape for which production plant was started to produce pesticide.

- Clogged pipes were with rusted joints
- It was a disaster of low possibility with high consequence.
- Anderson, the then CEO claimed that it was a sabotage.
- Nitrogen layer was protective layer on top of MIC stored.
- Cooling systems failed.⁶

The tragedy of Bhopal continues to be a warning sign at once ignored and heeded. Bhopal and its aftermath were a warning that the path to industrialization, for developing countries in general and India in particular, is fraught with human, environmental and economic perils.⁷

Michel Wright Investigator From Usa Investigation on Negligence:

- Vent gas scrubber unit was not sufficient to neutralise Leaked MIC
- Pressure gauges were faulty
- No refrigeration system was available
- Leakage caused due to cracks in the MIC storage tank
- Water canons to neutralise MIC was not sufficient
- Negligence on part of management was found.
- The plant ought to have been closed well in advance to avert disaster.⁸

The company involved in what became the worst industrial accident in history immediately tried to dissociate itself from legal responsibility. Eventually it reached a settlement with the Indian Government through mediation of that country's Supreme Court and accepted moral responsibility.⁹ It paid \$470 million in compensation, a relatively small amount of based on significant underestimations of the long-term health consequences of exposure and the number of people exposed.¹⁰ The disaster indicated a need for enforceable international standards for environmental safety, preventative strategies to avoid similar accidents and industrial disaster preparedness.^{11, 12, 13}


A leak from a styrene tank at a polystyrene plant in Visakhapatnam, India, has killed at least 13 people and injured hundreds. Local reports say between 300 and 400 people have been taken to the hospital with breathing difficulties and a burning sensation in their eyes.¹⁴

Mapping Atlas of Toxic Disasters around the Globe Indian Society of Toxicology Department of Emergency, Medanta Medicity, Gurugram

North West (Europe)	North (Ukraine-Russia- Siberia)	North East (China, North Korea)
<ul style="list-style-type: none"> Jewish German Holocaust- Cyanide Gas Toxic chemical spill (Switzerland) Rhine Red, Fish Dead (organophosphate insecticides, mercury compounds & Organochlorines) Notre Dame Holy water poisoning in Paris Dioxin- Seveso industrial disaster-Italy Huelva mines- Metal fume toxicity in Riotinto 	<ul style="list-style-type: none"> Chernobyl Nuclear Disaster – Ukraine radioactive metal toxicity Rum Whiskey intoxication Rasputin Execution failed–Cyanide laced Rum-Cake 	<ul style="list-style-type: none"> Opium-silk route (Golden Triangle) Baotou toxic lake: man-made lake of toxic waste Toxic air tears apart families in Mongolia A toxic warning to the world: the traditional tents – known as GERS – are warmed by coal-Coal Gas Jilin chemical plant- Hydrocarbon exposure
West (North America – USA, Mexico, Canada)	Central (Middle East, Africa-Arabia- UAE)	East (South Korea Japan)
<ul style="list-style-type: none"> Battery lead contamination-Industrial Lead toxicity in Los Angeles, California Greenpoint Oil Spill – Brooklyn, New York Toxic Potato Salad (Ohio)- Large outbreak of botulism associated with a church potluck Bitter Coffee at Church Breakfast- Cyanide Tragedy United States of Toxins– Utah & Nevada- metal mining- metal fume toxicity Iatrogenic Opioid Epidemic 	<ul style="list-style-type: none"> Mad-Honey, bee & wasp stings Cantharides Golden Crescent- Opium (Afghanistan-Iran-Pakistan) Carbon monoxide – Gas Heaters Apricot- Cyanide1 	<ul style="list-style-type: none"> Red-tide + Harmful algal bloom in sea coast in summers Seafood poisoning – Fugu, Ciguatera Sarin (OPC) Tokyo Subway - Bioterrorism (641 victims)¹⁵ Fukushima Daiichi nuclear disaster Cadmium toxicity - Itai-itai disease- "it hurts-it hurts disease" Jinzu river basin-Toyama Prefecture, Japan Methyl mercury- Minamata disease Hiroshima Nagasaki Nuclear Attack & resulting toxicity in Japan Hydrofluoric acid leak- South Korea- toxic hydrogen fluoride (HF) gas
South West (South America, Brazil, Peru, West Indies)	South (Australia, South Africa)	South East (Asia –India- Malaysia, Cambodia, Thailand, srilanka)
<ul style="list-style-type: none"> Black widow Spider Black scorpion People's temple massacre -Cyanide laced drinks¹ Toxic mud into the Doce River- Heavy Metal Mining; Mariana, Brazil Goiania radioactive toxicity due to dismantling a scrapped radiotherapy machine in Brazil UCLA Laboratory Fire- tert-butyl lithium IHOP Restaurant – Chloramine gas toxicity- kitchen employee -dishwashing machine (South Charleston, West Virginia) 	<ul style="list-style-type: none"> Rattle Snake & Coral Snake Ivory Coast toxic waste dumped of toxic oil sludge Esperance's lead poisoning disaster Agent Orange is a herbicide and defoliant chemical, one of the "tactical use" Rainbow Herbicides- Vietnam War- Bioterrorism Phosphate toxicity mining in Nauru 	<ul style="list-style-type: none"> Opium (Golden triangle) India-China- Malaysia- Thailand East India: toxic runoff of Arsenic, Pesticides Decline of vultures – toxic scavengers - Diclofenac toxicity Western Ghats- Red scorpion HOCH Tragedy- Methanol Country Liquor- Malaysia, India Methyl IsoCyanate (MIC) Bhopal Gas Tragedy- World's Worst Industrial Disaster Cyanide Rash- Cassava tubers, Tapioca Karnataka-Pesticide casualty - Holy Prasad Carbon monoxide epidemic-Sigdi, Kangri Gas Geysers Sewer Gas tragedy- Manhole- Hydrogen sulphide

©Indian Society of Toxicology: Dr Vivekanshu Verma, Dr VV Pillay

1932 First Scientific Approach to Accident/Prevention - H.W. Heinrich








Fig. 1. The Swiss cheese model of accident causation illustrates that, although many layers of defense lie between hazards and accidents, there are flaws in each layer that, if aligned, can allow the accident to occur.



Types of Industrial Disasters

Energy industry disasters

Manufacturing industry disasters



Key components in the Chain of Survival in Industrial Emergencies and Disasters.




Fig. 2. Chain of Survival in Industrial Emergencies and Industrial Disasters¹⁷

PPE (*Personal-Protective-Equipment*) for HAZMAT Team handling victims:

HAZMAT- stands for HAZardousMATERial: radiotoxic solids/liquids/Gas

- A-Aprons of Lead
- A-Air Purifying Respirator(APR)
- B- Breathing Apparatus
- B- Booties of Rubber/Leather upto the knees
- B- Biohazard bags with International Biohazard Sign for collecting samples/ disposing the contaminated clothes/ liquids.
- B-Barrier creams - toothpaste applied around eyelids
- C- Caps of plastic for Head
- C-Chemical resistant clothing (overalls and long-sleeved jacket, coveralls, hooded two-piece chemical splash suit, disposable chemical resistant coveralls
- C-Closed-circuit type filters, supplements, and recirculates exhaled gas.
- C-Compressed Air Breathing Apparatus (CABA) or self-contained breathing apparatus (SCBA) is a Positive pressure

device worn by HAZMAT rescue workers, firefighters, and others to provide breathable air in an immediately dangerous to life or health atmosphere. SCUBA (Self-Contained Underwater Breathing Apparatus) has cylinder to go inside deep waters.¹⁵

- D-Decontamination Showers after handling the suspected victim
- D- Dosimeters should be worn at the neck for easy access by the RSO(Radiation safety Officer)
- E- Eye shield & Ear Plugs in noise reduction in industrial safety
- F-Face Shields for splash/ burst of container
- F-Footwear protection (Disposable)
- G- Goggles (Lightweight, Reusable, Indirect Vented (Splash proof), Clear Vision with a Wide Flange and Latex-free) for examining radioactive substances
- G-Gloves of Yellow Rubber
- G-Gown of plastic covering whole body- like astronaut dress
- H-Helmets to safeguard from Head injury in extrication of victims from collapsed vehicles/buildings

- H-Hood mask with Oxygen cylinder, for going inside closed spaces with toxic fumes
- H-High visibility clothing- fluorescent stripes
- I-Isolation

PPE is divided into four categories based on the degree of protection afforded.

- 1) Level A protection should be worn when the highest level of respiratory, skin, eye and mucous membrane protection is needed.
- 2) Level B protection should be selected when the highest level of respiratory protection is needed, but a lesser level of skin and eye protection is needed.
- 3) Level C protection should be selected when the type of airborne substance is known, concentration measured, criteria for using air-purifying respirators met, and skin and eye exposure is unlikely.
- 4) Level D protection is primarily a work uniform and is used for nuisance contamination only.¹⁶

Management and Prevention of Industrial Accidents

The Chain of Survival in Industrial Emergencies and Disasters is similar to the cardiac arrest chain of survival of the American Heart Association (AHA) and the trauma chain of survival. It is a sequence of five inter-linked rings, which when practiced, decreases the mortality and morbidity in the concerned population.

The second ring is Early Recognition. Industrial workers and surrounding communities should be equally trained in hazard and risk analysis along with vulnerability assessment.

The third ring is Access to Care by the Early Response System, involving a universal emergency response number and early intervention by on-site trained medical professionals. This ring emphasizes the importance of a link with the surrounding communities, as they are the first responders and the front-line victims.

The fourth ring is Early Advanced Care by EMS for transportation to hospitals or by Emergency Department personnel in referral hospitals.

The fifth and the last ring is Early Rehabilitation, which includes integrated post emergency care, over all rehabilitation and early return to work.

The METHANE report for reporting disasters

concisely an easy Mnemonic.¹⁷

- M – Major incident
- E – Exact location
- T – Type of incident
- H – Hazards present and anticipated
- A – Access routes
- N – Number and type of injuries and casualties
- E – Emergency services present and required

The key to successful implementation of Chain of Survival is to have identified components of care, training and quality monitoring. When practiced diligently, this could help prevent industrial disasters, and mitigate their harmful effects on occurrence.¹⁷

Conclusion

It's popular Myth among professionals that all Industrial accidents are unpredictable, unpreventable and unsalvageable. But the Fact is that some of Industrial accidents are avoidable, and preventable. And we can prepare our Emergency Medical Services for better management by stocking the relevant antidotes, thus preventing mortality & morbidity by public awareness of possible casualties nearby those industries. Laws & legal acts discussed, provide concrete regulations for punishing the accused causing negligent acts, resulting in mass casualties

Conflict Of Interest: Nil

References

1. https://www.unece.org/fileadmin/DAM/env/documents/2014/TEIA/Nikolay_docs/4._Montenegro_TEIA_Seveso.pdf
2. Glasgow Coal Co. Ltd. V Welsh, 1915, SC 1020.
3. Indian Penal Code, 1860.
4. Parwatibai Vs Manager, Rajkumar Mills, Indore, AIR 1959 MP 281, National Insurance Co. Ltd Vs Balawwa 1993 (2) TAC 357: 1993 ACJ 815
5. Chernobyl disaster: Facts. 1986. <https://www.world-nuclear.org/information-library/safety-and-security/safety-of-plants/chernobyl-accident.aspx>
6. Accident Summary, Union Carbide India Ltd., Bhopal, India: December 3, 1984. Hazardous Installations Directorate. 2004, Health and Safety Executive
7. Broughton, E. The Bhopal disaster and its

- aftermath: a review. *Environ Health* 4, 6 (2005). <https://doi.org/10.1186/1476-069X-4-6>.
8. Bhopal Gas Leak Disaster (Processing of Claims) Act 1985.
 9. Mangla B: Long-term effects of methyl isocyanate. *Lancet*. 1989, 2 (8654): 103-10.1016/S0140-6736(89)90340-1.
 10. Castleman B PP: Appendix: the Bhopal disaster as a case study in double standards. The export of hazards: Trans-national corporations and environmental control issues. Edited by: Ives J. 1985, London, Routledge and Kegan Paul, 213-222.
 11. Kumar S: Victims of gas leak in Bhopal seek redress on compensation. *Bmj*. 2004, 329 (7462): 366-10.1136/bmj.329.7462.366-b.
 12. Sharma DC: Bhopal: 20 Years On. *Lancet*. 2005, 365 (9454): 111-112. 10.1016/S0140-6736(05)17722-8.
 13. MacKenzie D: Fresh evidence on Bhopal disaster. *New Scientist*. 2002, 19 (1):
 14. Scott, Alex. Styrene-leak-India <https://cen.acs.org/safety/industrial-safety/Styrene-leak-India-kills-least/98/web/2020/05> Last retrieved May 7, 2020.
 15. Yinka ADENIRAN, Accident prevention theories & Risk management <https://www.slideshare.net/yinka/accident-prevention-theories-risk-management>
 16. Kale, Sanjay. Philosophy of accident Prevention. Water and Energy International. 2016, Volume : 59r, Issue : 8.
 17. Kaliaperumal P, Kole T. Chain of Survival in Industrial Emergencies and Industrial Disasters. Concepts in Disaster Medicine. Disaster Medicine and Public Health Preparedness. Cambridge University Press. 1st Ed. 2020. <https://www.cambridge.org/core/terms>. <https://doi.org/10.1017/dmp.2020.165>

STATEMENT ABOUT OWNERSHIP AND OTHER PARTICULARS

“Indian Journal of Legal Medicine” (See Rule 8)

1. Place of Publication : Delhi
2. Periodicity of Publication : Half-yearly
3. Printer's Name : **Dinesh Kumar Kashyap**
Nationality : Indian
Address : 3/259, Trilokpuri, Delhi-91
4. Publisher's Name : **Dinesh Kumar Kashyap**
Nationality : Indian
Address : 3/259, Trilokpuri, Delhi-91
5. Editor's Name : **Dinesh Kumar Kashyap**
Nationality : Indian
Address : 3/259, Trilokpuri, Delhi-91
6. Name & Address of Individuals : **Red Flower Publication Pvt. Ltd.**
who own the newspaper and particulars of : 41/48, DSIDC, Pocket-II
shareholders holding more than one per cent : Mayur Vihar, Phase-1, Delhi-91
of the total capital

I, **Dinesh Kumar Kashyap**, hereby declare that the particulars given above are true to the best of my knowledge and belief.

Sd/-
(Dinesh Kumar Kashyap)

Manuscripts must be prepared in accordance with "Uniform requirements for Manuscripts submitted to Biomedical Journal" developed by international committee of medical Journal Editors

Types of Manuscripts and Limits

Original articles: Up to 3000 words excluding references and abstract and up to 10 references.

Review articles: Up to 2500 words excluding references and abstract and up to 10 references.

Case reports: Up to 1000 words excluding references and abstract and up to 10 references.

Online Submission of the Manuscripts

Articles can also be submitted online from http://rfppl.co.in/customer_index.php.

1) First Page File: Prepare the title page, covering letter, acknowledgement, etc. using a word processor program. All information which can reveal your identity should be here. use text/rtf/doc/PDF files. Do not zip the files.

2) Article file: The main text of the article, beginning from Abstract till References (including tables) should be in this file. Do not include any information (such as acknowledgement, your name in page headers, etc.) in this file. Use text/rtf/doc/PDF files. Do not zip the files. Limit the file size to 400 Kb. Do not incorporate images in the file. If file size is large, graphs can be submitted as images separately without incorporating them in the article file to reduce the size of the file.

3) Images: Submit good quality color images. Each image should be less than 100 Kb in size. Size of the image can be reduced by decreasing the actual height and width of the images (keep up to 400 pixels or 3 inches). All image formats (jpeg, tiff, gif, bmp, png, eps etc.) are acceptable; jpeg is most suitable.

Legends: Legends for the figures/images should be included at the end of the article file.

If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks from submission. Hard copies of the images (3 sets), for articles submitted online, should be sent to the journal office at the time of submission of a revised manuscript. Editorial office: Red Flower Publication Pvt. Ltd., 48/41-42, DSIDC, Pocket-II, Mayur Vihar Phase-I, Delhi - 110 091, India, Phone: 91-11-22754205, 45796900, 22756995. E-mail: author@rfppl.co.in. Submission page: http://rfppl.co.in/article_submission_system.php?mid=5.

Preparation of the Manuscript

The text of observational and experimental articles should be divided into sections with the headings: Introduction, Methods, Results, Discussion, References, Tables, Figures, Figure legends, and Acknowledgment. Do not make subheadings in these sections.

Title Page

The title page should carry

- 1) Type of manuscript (e.g. Original article, Review article, Case Report)
- 2) The title of the article, should be concise and informative;
- 3) Running title or short title not more than 50 characters;
- 4) The name by which each contributor is known (Last name, First name and initials of middle name), with his or her highest academic degree(s) and institutional affiliation;
- 5) The name of the department(s) and institution(s) to which the work should be attributed;
- 6) The name, address, phone numbers, facsimile numbers and e-mail address of the contributor responsible for correspondence about the manuscript; should be mentioned.
- 7) The total number of pages, total number of photographs and word counts separately for abstract and for the text (excluding the references and abstract);
- 8) Source(s) of support in the form of grants, equipment, drugs, or all of these;
- 9) Acknowledgement, if any; and
- 10) If the manuscript was presented as part at a meeting, the organization, place, and exact date on which it was read.

Abstract Page

The second page should carry the full title of the manuscript and an abstract (of no more than 150 words for case reports, brief reports and 250 words for original articles). The abstract should be structured and state the Context (Background), Aims, Settings and Design, Methods and Materials, Statistical analysis used, Results and Conclusions. Below the abstract should provide 3 to 10 keywords.

Introduction

State the background of the study and purpose of the study and summarize the rationale for the study or observation.

Methods

The methods section should include only information that was available at the time the plan or protocol for the study was written such as study approach, design, type of sample, sample size, sampling technique, setting of the study, description of data collection tools and methods; all information obtained during the conduct of the study belongs in the Results section.

Reports of randomized clinical trials should be based on the CONSORT Statement (<http://www.consort-statement.org>). When reporting experiments on human subjects, indicate whether the procedures followed were in accordance with the ethical standards of the responsible committee on human experimentation (institutional or regional) and with the Helsinki Declaration of 1975, as revised in 2000 (available at http://www.wma.net/e/policy/17-c_e.html).

Results

Present your results in logical sequence in the text, tables, and illustrations, giving the main or most important findings first. Do not repeat in the text all the data in the tables or illustrations; emphasize or summarize only important observations. Extra or supplementary materials and technical details can be placed in an appendix where it will be accessible but will not interrupt the flow of the text; alternatively, it can be published only in the electronic version of the journal.

Discussion

Include summary of key findings (primary outcome measures, secondary outcome measures, results as they relate to a prior hypothesis); Strengths and limitations of the study (study question, study design, data collection, analysis and interpretation); Interpretation and implications in the context of the totality of evidence (is there a systematic review to refer to, if not, could one be reasonably done here and now?, What this study adds to the available evidence, effects on patient care and health policy, possible mechanisms)? Controversies raised by this study; and Future research directions (for this particular research collaboration, underlying mechanisms, clinical research). Do not repeat in detail data or other

material given in the Introduction or the Results section.

References

List references in alphabetical order. Each listed reference should be cited in text (not in alphabetic order), and each text citation should be listed in the References section. Identify references in text, tables, and legends by Arabic numerals in square bracket (e.g. [10]). Please refer to ICMJE Guidelines (http://www.nlm.nih.gov/bsd/uniform_requirements.html) for more examples.

Standard journal article

[1] Flink H, Tegelberg Å, Thörn M, Lagerlöf F. Effect of oral iron supplementation on unstimulated salivary flow rate: A randomized, double-blind, placebo-controlled trial. *J Oral Pathol Med* 2006; 35: 540-7.

[2] Twetman S, Axelsson S, Dahlgren H, Holm AK, Källestål C, Lagerlöf F, *et al.* Caries-preventive effect of fluoride toothpaste: A systematic review. *Acta Odontol Scand* 2003; 61: 347-55.

Article in supplement or special issue

[3] Fleischer W, Reimer K. Povidone iodine antiseptics. State of the art. *Dermatology* 1997; 195 Suppl 2: 3-9.

Corporate (collective) author

[4] American Academy of Periodontology. Sonic and ultrasonic scalers in periodontics. *J Periodontol* 2000; 71: 1792-801.

Unpublished article

[5] Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. Static and fatigue compression test for particulate filler composite resin with fiber-reinforced composite substructure. *Dent Mater* 2006.

Personal author(s)

[6] Hosmer D, Lemeshow S. Applied logistic regression, 2nd edn. New York: Wiley-Interscience; 2000.

Chapter in book

[7] Nauntofte B, Tenovou J, Lagerlöf F. Secretion and composition of saliva. In: Fejerskov O,

Kidd EAM, editors. Dental caries: The disease and its clinical management. Oxford: Blackwell Munksgaard; 2003. p. 7-27.

No author given

[8] World Health Organization. Oral health surveys - basic methods, 4th edn. Geneva: World Health Organization; 1997.

Reference from electronic media

[9] National Statistics Online – Trends in suicide by method in England and Wales, 1979-2001. www.statistics.gov.uk/downloads/theme_health/HSQ20.pdf (accessed Jan 24, 2005): 7-18. Only verified references against the original documents should be cited. Authors are responsible for the accuracy and completeness of their references and for correct text citation. The number of reference should be kept limited to 20 in case of major communications and 10 for short communications.

More information about other reference types is available at www.nlm.nih.gov/bsd/uniform_requirements.html, but observes some minor deviations (no full stop after journal title, no issue or date after volume, etc).

Tables

Tables should be self-explanatory and should not duplicate textual material.

Tables with more than 10 columns and 25 rows are not acceptable.

Table numbers should be in Arabic numerals, consecutively in the order of their first citation in the text and supply a brief title for each.

Explain in footnotes all non-standard abbreviations that are used in each table.

For footnotes use the following symbols, in this sequence: *, †, ‡, §.

Illustrations (Figures)

Graphics files are welcome if supplied as Tiff, EPS, or PowerPoint files of minimum 1200x1600 pixel size. The minimum line weight for line art is 0.5 point for optimal printing.

When possible, please place symbol legends below the figure instead of to the side.

Original color figures can be printed in color at the editor's and publisher's discretion provided the author agrees to pay.

Type or print out legends (maximum 40 words, excluding the credit line) for illustrations using double spacing, with Arabic numerals corresponding to the illustrations.

Sending a revised manuscript

While submitting a revised manuscript, contributors are requested to include, along with single copy of the final revised manuscript, a photocopy of the revised manuscript with the changes underlined in red and copy of the comments with the point to point clarification to each comment. The manuscript number should be written on each of these documents. If the manuscript is submitted online, the contributors' form and copyright transfer form has to be submitted in original with the signatures of all the contributors within two weeks of submission. Hard copies of images should be sent to the office of the journal. There is no need to send printed manuscript for articles submitted online.

Reprints

Journal provides no free printed reprints, however a author copy is sent to the main author and additional copies are available on payment (ask to the journal office).

Copyrights

The whole of the literary matter in the journal is copyright and cannot be reproduced without the written permission.

Declaration

A declaration should be submitted stating that the manuscript represents valid work and that neither this manuscript nor one with substantially similar content under the present authorship has been published or is being considered for publication elsewhere and the authorship of this article will not be contested by any one whose name (s) is/are not listed here, and that the order of authorship as placed in the manuscript is final and accepted by the co-authors. Declarations should be signed by all the authors in the order in which they are mentioned in the original manuscript. Matters appearing in the Journal are covered by copyright but no objection will be made to their reproduction provided permission is obtained from the Editor prior to publication and due acknowledgment of the source is made.

Approval of Ethics Committee

We need the Ethics committee approval letter from an Institutional ethical committee (IEC) or an institutional review board (IRB) to publish your Research article or author should submit a statement that the study does not require ethics approval along with evidence. The evidence could either be consent from patients is available and there are no ethics issues in the paper or a letter from an IRB stating that the study in question does not require ethics approval.

Abbreviations

Standard abbreviations should be used and be spelt out when first used in the text. Abbreviations should not be used in the title or abstract.

Checklist

- Manuscript Title
- Covering letter: Signed by all contributors
- Previous publication/ presentations mentioned, Source of funding mentioned
- Conflicts of interest disclosed

Authors

- Middle name initials provided.
- Author for correspondence, with e-mail address provided.
- Number of contributors restricted as per the instructions.
- Identity not revealed in paper except title page (e.g.name of the institute in Methods, citing previous study as 'our study')

Presentation and Format

- Double spacing
- Margins 2.5 cm from all four sides
- Title page contains all the desired information. Running title provided (not more than 50 characters)
- Abstract page contains the full title of the manuscript
- Abstract provided: Structured abstract provided for an original article.
- Key words provided (three or more)
- Introduction of 75-100 words
- Headings in title case (not ALL CAPITALS).

References cited in square brackets

- References according to the journal's instructions

Language and grammar

- Uniformly American English
- Abbreviations spelt out in full for the first time. Numerals from 1 to 10 spelt out
- Numerals at the beginning of the sentence spelt out

Tables and figures

- No repetition of data in tables and graphs and in text.
- Actual numbers from which graphs drawn, provided.
- Figures necessary and of good quality (color)
- Table and figure numbers in Arabic letters (not Roman).
- Labels pasted on back of the photographs (no names written)
- Figure legends provided (not more than 40 words)
- Patients' privacy maintained, (if not permission taken)
- Credit note for borrowed figures/tables provided
- Manuscript provided on a CDROM (with double spacing)

Submitting the Manuscript

- Is the journal editor's contact information current?
- Is the cover letter included with the manuscript? Does the letter:
 1. Include the author's postal address, e-mail address, telephone number, and fax number for future correspondence?
 2. State that the manuscript is original, not previously published, and not under concurrent consideration elsewhere?
 3. Inform the journal editor of the existence of any similar published manuscripts written by the author?
 4. Mention any supplemental material you are submitting for the online version of your article. Contributors' Form (to be modified as applicable and one signed copy attached with the manuscript)

Red Flower Publication (P) Ltd.

Presents its Book Publications for sale

- | | |
|---|---------------|
| 1. Drugs in Anesthesia (2020)
<i>By R Varaprasad</i> | INR 449/USD35 |
| 2. MCQs in Minimal Access and Bariatric Surgery (2nd Edition) (2020)
<i>By Anshuman Kaushal, Dhruv Kundra</i> | INR 545/USD42 |
| 3. Beyond Medicine A to E for the medical professionals (2020)
<i>By Kalidas Dattatraya Chavan, Sandeep Vishwas Mane, Sunil Namdeo Thitame</i> | INR 390/USD31 |
| 4. Statistics in Genetic Data Analysis (2020)
<i>By Dr. S. Venkatasubramanian, J. Kezia Angeline</i> | INR 299/USD23 |
| 5. Chhotanagpur A Hinterland of Tribes (2020)
<i>By Ambrish Gautam, Ph.D</i> | INR 250/USD20 |
| 6. Patient Care Management (2019)
<i>By A.K. Mohiuddin</i> | INR 999/USD78 |
| 7. Drugs in Anesthesia and Critical Care (2019)
<i>By Bhavna Gupta, Lalit Gupta</i> | INR 595/USD46 |
| 8. Critical Care Nursing in Emergency Toxicology (2019)
<i>By Vivekanshu Verma, Sandhya Shankar Pandey, Atul Bansal</i> | INR 460/USD34 |
| 9. Practical Record Book of Forensic Medicine and Toxicology (2019)
<i>By Akhilesh K. Pathak</i> | INR 299/USD23 |
| 10. Skeletal and Structural Organizations of Human Body (2019)
<i>By D. R. Singh</i> | INR 659/USD51 |
| 11. Comprehensive Medical Pharmacology (2019)
<i>By Ahmad Najmi</i> | INR 599/USD47 |
| 12. Practical Emergency Trauma Toxicology Cases Workbook in Simulation Training (2019)
<i>By Vivekanshu Verma, Shiv Rattan Kochar & Devendra Richhariya</i> | INR395/USD31 |
| 13. MCQs in Minimal Access & Bariatric Surgery (2019)
<i>By Anshuman Kaushal & Dhruv Kundra</i> | INR450/USD35 |
| 14. Biostatistics Methods for Medical Research (2019)
<i>By Sanjeev Sarmukaddam</i> | INR549/USD44 |
| 15. MCQs in Medical Physiology (2019) by Bharati Mehta & By Bharti Bhandari Rathore | INR300/USD29 |
| 16. Synopsis of Anesthesia (2019) by Lalit Gupta & By Bhavna Gupta | INR1195/USD95 |
| 17. Shipping Economics (2018) by D. Amutha, Ph.D. | INR345/USD27 |

Order from

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Mobile: 8130750089, Phone: 91-11-79695648, 22754205, 22756995

E-mail: sales@rfppl.co.in

REDKART.NET

(A product of Red Flower Publication (P) Limited)

(Publications available for purchase: Journals, Books, Articles and Single issues)

(Date range: 1967 to till date)

The Red Kart is an e-commerce and is a product of Red Flower Publication (P) Limited. It covers a broad range of journals, Books, Articles, Single issues (print & Online-PDF) in English and Hindi languages. All these publications are in stock for immediate shipping and online access in case of online.

Benefits of shopping online are better than conventional way of buying.

1. Convenience.
2. Better prices.
3. More variety.
4. Fewer expenses.
5. No crowds.
6. Less compulsive shopping.
7. Buying old or unused items at lower prices.
8. Discreet purchases are easier.

URL: www.redkart.net

Red Flower Publication Pvt. Ltd.

CAPTURE YOUR MARKET

For advertising in this journal

Please contact:

International print and online display advertising sales

Advertisement Manager

Phone: 91-11-22756995, 22754205, 79695648, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Recruitment and Classified Advertising

Advertisement Manager

Phone: 91-11-22756995, 22754205, 79695648, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

Indian Journal of Legal Medicine

Library Recommendation Form

If you would like to recommend this journal to your library, simply complete the form given below and return it to us. Please type or print the information clearly. We will forward a sample copy to your library, along with this recommendation card.

Please send a sample copy to:

Name of Librarian

Name of Library

Address of Library

Recommended by:

Your Name/ Title

Department

Address

Dear Librarian,

I would like to recommend that your library subscribe to the **Indian Journal of Legal Medicine**. I believe the major future uses of the journal for your library would provide:

1. Useful information for members of my specialty.
2. An excellent research aid.
3. An invaluable student resource.

I have a personal subscription and understand and appreciate the value an institutional subscription would mean to our staff.

Should the journal you're reading right now be a part of your University or institution's library? To have a free sample sent to your librarian, simply fill out and mail this today!

Stock Manager

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Phone: 91-11-79695648, 22754205, 22756995, Cell: +91-9821671871

E-mail: sales@rfppl.co.in

STATEMENT ABOUT OWNERSHIP AND OTHER PARTICULARS
“Indian Journal of Legal Medicine” (See Rule 8)

- | | | |
|---|---|---|
| 1. Place of Publication | : | Delhi |
| 2. Periodicity of Publication | : | Quarterly |
| 3. Printer's Name | : | Dinesh Kumar Kashyap |
| Nationality | : | Indian |
| Address | : | 3/259, Trilokpuri, Delhi-91 |
| 4. Publisher's Name | : | Dinesh Kumar Kashyap |
| Nationality | : | Indian |
| Address | : | 3/259, Trilokpuri, Delhi-91 |
| 5. Editor's Name | : | Dinesh Kumar Kashyap |
| Nationality | : | Indian |
| Address | : | 3/259, Trilokpuri, Delhi-91 |
| 6. Name & Address of Individuals | : | Red Flower Publication Pvt. Ltd. |
| who own the newspaper and particulars of | : | 41/48, DSIDC, Pocket-II |
| shareholders holding more than one per cent | : | Mayur Vihar, Phase-1, Delhi-91 |
| of the total capital | | |

I, **Dinesh Kumar Kashyap**, hereby declare that the particulars given above are true to the best of my knowledge and belief.

Sd/-
(Dinesh Kumar Kashyap)

Red Flower Publication (P) Ltd.

Presents its Book Publications for sale

- | | |
|---|---------------|
| 1. Drugs in Anesthesia (2020)
<i>By R Varaprasad</i> | INR 449/USD35 |
| 2. MCQs in Minimal Access and Bariatric Surgery (2nd Edition) (2020)
<i>By Anshuman Kaushal, Dhruv Kundra</i> | INR 545/USD42 |
| 3. Beyond Medicine A to E for the medical professionals (2020)
<i>By Kalidas Dattatraya Chavan, Sandeep Vishwas Mane, Sunil Namdeo Thitame</i> | INR 390/USD31 |
| 4. Statistics in Genetic Data Analysis (2020)
<i>By Dr. S. Venkatasubramanian, J. Kezia Angeline</i> | INR 299/USD23 |
| 5. Chhotanagpur A Hinterland of Tribes (2020)
<i>By Ambrish Gautam, Ph.D</i> | INR 250/USD20 |
| 6. Patient Care Management (2019)
<i>By A.K. Mohiuddin</i> | INR 999/USD78 |
| 7. Drugs in Anesthesia and Critical Care (2019)
<i>By Bhavna Gupta, Lalit Gupta</i> | INR 595/USD46 |
| 8. Critical Care Nursing in Emergency Toxicology (2019)
<i>By Vivekanshu Verma, Sandhya Shankar Pandey, Atul Bansal</i> | INR 460/USD34 |
| 9. Practical Record Book of Forensic Medicine and Toxicology (2019)
<i>By Akhilesh K. Pathak</i> | INR 299/USD23 |
| 10. Skeletal and Structural Organizations of Human Body (2019)
<i>By D. R. Singh</i> | INR 659/USD51 |
| 11. Comprehensive Medical Pharmacology (2019)
<i>By Ahmad Najmi</i> | INR 599/USD47 |
| 12. Practical Emergency Trauma Toxicology Cases Workbook in Simulation Training (2019)
<i>By Vivekanshu Verma, Shiv Rattan Kochar & Devendra Richhariya</i> | INR395/USD31 |
| 13. MCQs in Minimal Access & Bariatric Surgery (2019)
<i>By Anshuman Kaushal & Dhruv Kundra</i> | INR450/USD35 |
| 14. Biostatistics Methods for Medical Research (2019)
<i>By Sanjeev Sarmukaddam</i> | INR549/USD44 |
| 15. MCQs in Medical Physiology (2019) by Bharati Mehta &
<i>By Bharti Bhandari Rathore</i> | INR300/USD29 |
| 16. Synopsis of Anesthesia (2019) by Lalit Gupta &
<i>By Bhavna Gupta</i> | INR1195/USD95 |
| 17. Shipping Economics (2018) by D. Amutha, Ph.D. | INR345/USD27 |

Order from

Red Flower Publication Pvt. Ltd.

48/41-42, DSIDC, Pocket-II

Mayur Vihar Phase-I

Delhi - 110 091(India)

Mobile: 8130750089, Phone: 91-11-79695648, 22754205, 22756995

E-mail: sales@rfppl.co.in